

★ ★ **SCAG** ★ ★
POWER EQUIPMENT

LAWN MAINTENANCE EQUIPMENT



SIMPLY THE BEST.



Toughness, quality and dependability. Those are the values that you can count on in every Scag® product because they are the same values that we look for in the people who make our products.

You can depend on our mowers to increase your productivity, reduce your downtime and boost your bottom line because we can depend on the people who build your mowers to understand the value of a hard day's work and the pride that comes from a job well done.

We've been manufacturing mowers and lawn maintenance equipment for more than 30 years, and over that time we've learned a thing or two about what it takes to be "Simply the Best." It all begins by listening to you, the people who earn their living in lawn care. We don't just build a mower that we hope will meet your needs. We take the time to get

to know you and understand your business. We observe how you use our products and continually look for ways to make them better meet your expectations.

Just as in lawn care, we've learned that it's the details that make the difference between good enough and "Simply the Best." It's using heavy-duty Ogura clutches that will outlast standard clutches and are easily maintained. It's using cutter deck spindles with cast iron housings and fully greasable, tapered roller bearings that can take up to 50% more load than standard ball bearings.

It's even something as simple as placing the cup holder in a convenient location or designing our seats to adjust to a wide range of positions for the ultimate in operator comfort.

Call us old-fashioned, but we believe that quality and substance matter. We believe that you'll appreciate the attention to detail and craftsmanship that we put into every single product that leaves our facilities. We believe that once you own a Scag, you'll never want to own another brand of mower.

WHAT DOES IT MEAN TO BE "SIMPLY THE BEST?"

It's our promise to you that every Scag® product is engineered, built and assembled to be everything you need and nothing you don't. It's our promise that we won't cut corners by using inferior materials, passing along a sub-par weldment or deciding that a design is "good enough." It's our promise of a tough, dependable and state-of-the-art machine that is going to provide exceptional quality-of-cut, reliability and comfort. When you buy a Scag, you're not just buying a lawn mower. You are buying our promise that we have done everything possible to provide you with a mower that truly is "Simply the Best."

WE BUILD SCAG MOWERS FOR HARD-WORKING CUSTOMERS WHO DEPEND ON THEM TO EARN A LIVING.

We want you to put your new Scag to work on the first day and know you made the right decision. Scag mowers are born from intelligent engineering inspired by "how can we make it better" thinking. That's who we are and who we have always been, and that's why when we say we're "Simply the Best," we mean it.



DETAILS MAKE THE SCAG DIFFERENCE.



Velocity Plus™ cutter deck delivers an unmatched quality-of-cut and wide, even discharge.



Heavy-duty Scag spindles are the envy of the industry – Velocity Plus and Advantage decks.



Operator Suspension System with a coil-over shock provides incredible, adjustable comfort without affecting cut quality – Cheetah™.



Ground speeds up to 16 mph ensure high productivity – Cheetah.



Hydraulic oil coolers and/or pump cooling fans extend component life – Turf Tiger™, Cheetah, Freedom Z®, V-Ride™ and SWZT.



Heavy-duty driveshaft for solid, dependable power to the cutter deck – Turf Tiger.



Quick-Fit™ adjustable steering levers accommodate any operator – Turf Tiger and Cheetah 61"/72".



Tri-Plate deck construction provides superior strength – V-Ride and Zero-Turn Riders (excluding Freedom Z).



Patented deck-leveling adjustment is quick and easy – Select Zero-Turn Riders.

BUILT WITH PRIDE

Scag mowers are proudly built in the USA, as they have been since 1983, in Mayville and West Bend, Wisconsin. While many other companies buy many of their parts from outside sources and simply assemble their machines, Scag builds virtually all of the structural components of its mowers in-house to ensure the highest quality.



SOLD WITH SCAG SERVICE

Scag products are sold only through a network of authorized, full-service dealers. We will not sell through "big box" stores that leave you without service after the sale. Our dealers are factory-trained and ready to help you find the right Scag mower for your business or personal property. Only Scag Authorized Dealers can supply you with original, top-quality Scag products and parts.




CUTTER DECK

Velocity Plus™ decks are legendary for their proven performance and durability. No other deck leaves a smoother cut or channels and disburse clippings more evenly. The Velocity Plus deck combines a uniquely productive baffle design with the force of ultra-fast blade tip speeds to create a windstorm of air speed that disburse clippings far and wide. Professional cutters will tell you no other deck has the downright toughness or provides a better cut than the Scag® Velocity Plus Cutter Deck.

- The Scag Turbo Baffle increases discharge velocity and creates a fanning pattern of discharged clippings, dispersing them cleanly and evenly – virtually eliminating windrowing and clumping, even in heavy cutting conditions. The Turbo Baffle is standard on zero-turn riders only. (Excluding Freedom Z, V-Ride and Walk-Behinds)
- 48", 52", 61" and 72" deck sizes available.

- Extra-large discharge opening for maximum clipping dispersal.
- Dual 12", rear-mounted anti-scalp rollers provide additional turf protection (one roller on SCZ48/52 models; excludes Freedom Z and SWZT mowers).
- Replaceable trim-side wear pad protects the deck and landscaping from scraping and impact damage (excluding Freedom Z and SWZT mowers).



Scag's patented Custom-Cut Baffle™ allows convenient adjustment of under-deck airflow for optimum performance under all conditions. Whether you are tackling difficult-to-cut grass or collecting leaves in the fall, you will be prepared to handle the job with ease.



The Scag Mulch Plate conveniently blocks off the discharge opening and allows you to easily mulch when needed. The bottom lip of the plate keeps grass in the cutting chamber longer for more thorough mulching and a clean, manicured finish. The Mulch Plate is a component of the Hurricane Mulch System and can also be purchased as a separate accessory.



Scag cutter decks deliver superior strength and performance. Three layers of high-strength steel create the nearly ½" thick (.485") Tri-Plate cutter deck top (V-Ride™ and Zero-turn riders – excluding Freedom Z). Scag decks are backed with a three-year "no-crack" warranty.



Serrated Eliminator™ mulching blades have a high-lift, "double-cut" edge for quick and thorough shredding of grass clippings and debris. Eliminator blades are included with the Hurricane Plus and Hurricane Mulch Systems. They also can be ordered separately for use with the Mulch Plate.



THE SCAG HEAVY-DUTY SPINDLE: AN INDUSTRY BENCHMARK

- Heavy-duty 1½" diameter shaft made of high-strength, hardened steel alloy.
- Matched set of tapered roller bearings provide up to 50% more load-carrying capacity than ball bearings.*
- Top-mounted fitting for easy greasing.
- Grease relief valve prevents over-greasing.
- Secured with 5/16", grade-8 mounting hardware for superior strength.
- Three-year limited warranty (see page 38 for details).

* NOTE: Freedom Z and SWZT use a sealed aluminum ball-bearing spindle design.

THE SCAG VELOCITY PLUS REAR DISCHARGE CUTTER DECK

The 61" Velocity Plus Cutter Deck is now available with rear discharge (RD) on the Scag Cheetah. Same tough spindles and Tri-Plate deck top, same Scag toughness built in. The Velocity Plus RD deck is ideal for cemeteries, roadsides, medians and parking lots, or any location where side discharging is not allowed or is undesirable.



HURRICANE PLUS MULCH SYSTEM

The Hurricane Plus™ Mulch System features a patented design that takes mulching to a new level. With "Eye of the Hurricane" mulching plates, bolt-in baffles, special Eliminator™ mulching blades and a side discharge block-off plate, the Hurricane Plus System cuts and re-cuts clippings into a fine mulch before dispersing them into the lawn.

The Hurricane Plus baffle design forces grass clippings to travel between the chambers for a more thorough mulching performance. Couple that with "Eye of the Hurricane" mulch plates that keep clippings in the path of the Eliminator blades, and this design ensures clippings are finely shredded and forcefully scattered down toward the soil, returning vital nutrients to the turf. Not only does this save you time and keep the lawn healthy, but it also benefits the environment by reducing landfill waste.

The Scag Hurricane Plus Mulch System fits all Velocity Plus decks. Hurricane Mulch Systems are also available for most newer Advantage decks, Freedom Z® and the SWZT.

★ ★ **SCAG** *TURF Tiger* ★ ★

THE ULTIMATE IN POWER AND PERFORMANCE

At the top of the food chain, the Turf Tiger™ represents the ultimate in zero-turn mower power, durability and performance. From its extra strength double-tube steel frame to the dual 16cc hydraulic pumps and high-torque wheel motors, this cat is built to power through the toughest terrain with ease and stability. Designed to be as easy on the operator as it is productive on the job, the Turf Tiger features our exclusive Command-Comfort™ Operator Station with adjustable torsion spring suspension seat and Quick-Fit™ adjustable steering control levers that let you enjoy being in the driver's seat. With engine options that will get you moving up to 12 mph*, a large-capacity fuel tank and a heavy-duty hydraulic oil cooler, the Turf Tiger will take your productivity to a new level.



“Scag is the only mower that I have ever used since I started my business over 20 years ago. The ScagTurf Tiger is the best piece of lawn equipment made, period.”

– Rick Moulton / Professional Lawn Care & Landscaping / Tallahassee, FL



Engine hood on liquid-cooled models only, shown to the left.

ZERO-TURN RIDER

- High-strength, double-tube steel frame ensures a solid foundation for years of reliable service; replaceable front caster wheel weldments.
- Cutter deck driveshaft system provides consistent, reliable power and a wide cutting height range; deck cutting heights range from 1" to 6" in 1/4" increments.
- Heavy-duty drive system features dual 16cc pumps and high-torque wheel motors for responsive, dependable power.
- Up to 12 mph forward speed on most units: 10.5 mph forward ground speeds on 21CH-LP, 26CH-EFI and 25KA models, 5 mph reverse.
- 4-quart large capacity hydro system includes large oil cooler to increase hydraulic component efficiency and extend system life; pump cooling fans on most models (excluding 21CH-LP, 26CH-EFI and 25KA) further cool the hydraulic system.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial-grade. Tri-Plate deck is nearly 1/2" thick.
- ROPS (Roll-Over Protection System) standard equipment, featuring low hinge point for easy transport and storage.
- Convenient cup holder keeps beverage within reach.
- Large caster wheels feature tapered roller bearings in axles and pivots for long life; lip seal keeps grease in and dirt out.
- Flat-free caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Large drive tires deliver superior traction and a smooth ride (24" drive tires on 61" and 72" models, 23" drive tires on 52" models).
- Command-Comfort™ Operator Station features unprecedented levels of adjustability and ergonomics. This individualized system fights fatigue and provides maximum comfort and convenience.
 - Torsion spring suspension seat adjusts to operator's weight to provide superior comfort. Seat features full padding, forward/rearward adjustment, high back, adjustable armrests and adjustable back angle.
 - Quick-Fit™ steering control levers are fully adjustable to provide a custom fit for maximum comfort.
 - 3-position deck lift foot pedal allows individualized comfort for operators of all heights.
- Ultra-low center-of-gravity makes the Turf Tiger™ surefooted on a wide variety of terrains.
- Large-capacity, single fuel tank with a large angled neck for easy filling. Tank provides hours of cutting without refueling (approximately 8.5-gallon tank for gas-powered units, 11-gallon tank for diesel units). Tank is mounted under the seat to lower the center-of-gravity for better stability and handling.
- Digital hour meter features pre-programmed maintenance reminders; hour meter only activates when the engine is running to accurately record engine runtime.



Dual 16cc Hydro-Gear pumps power this dependable drive system. Pump shock valves ensure reliability and long life. Cooling fans on most models (excluding 21CH-LP, 26CH-EFI and 25KA).



Heavy-duty driveshaft delivers solid, dependable power to the cutter deck. Specially engineered for ease-of-maintenance.



Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength and GT5 (350 ft/lbs) on 35BV models. Adjustable air-gap for long service life.



Oil cooler keeps hydraulic temperatures low for efficient operation, added reliability and long component life.



A strong 25hp, 3-cylinder Kubota diesel is available on the Turf Tiger to provide heavy-duty, high-torque performance.



The Turf Tiger is available with a choice of propane options to meet clean air regulations. Choose between a propane-powered Kohler CH730 V-Twin engine (shown) or the Dual-Fuel (gas/propane) Kubota 3-cylinder engine.

FUEL-INJECTION: MAXIMIZE POWER AND REDUCE FUEL COSTS

The Scag® Turf Tiger is available with an air-cooled Kohler Command Pro EFI engine. This engine is equipped with closed-loop electronic fuel ignition (EFI) to reduce fuel consumption and maximize power. The Turf Tiger can also be outfitted with a Kawasaki FD791D-DFI (digital fuel injection) liquid-cooled engine that optimizes fuel economy and maximizes your profitability.

★ ★ **SCAG** *CHEETAH* ★ ★

BUILT FOR SPEED AND COMFORT

Whether you're mowing one large property or several smaller ones in a day, the Cheetah™ will make sure you get the job done quickly and comfortably. The fastest mower in our line-up, the Cheetah can achieve ground speeds of up to 16 mph in high range and 12 mph in low range, and features a shift-on-the-fly selector (61" & 72" models) that keeps you productive. This cat is not only fast, but its coil-over shock Operator Suspension System with five easily adjustable settings and rubber iso-mounted seat will make sure you don't feel the aches and pains of your hard day's work. Plus, all four deck sizes – 48", 52", 61" and 72" – come standard with the incredible Velocity Plus™ deck for exceptional quality-of-cut and years of dependable performance.



"I have owned them all, but needed a lawn mower that can keep up with me! Running a lawn business is difficult when your mowers are breaking down. This mower is responsible for mowing over 160 lawns in a week and I have never had any issues with any of my Scag mowers. They are the most reliable mowers out there! Thank you Scag!"

– Kevin Laufenberg / Laufenberg Lawn Care / Cottage Grove, WI



48"/52" CHEETAH

Cheetah™ models with a 48" or 52" Velocity Plus™ cutter deck feature Hydro-Gear ZT-3400 transaxles, 23" drive tires, ground speeds up to 10.5 mph and 10-gallon fuel capacity.

ZERO-TURN RIDER

- Quick-Fit™ steering control levers (61" and 72" models only), Operator Suspension System, and a spacious footplate reduce fatigue for comfortable operation.
- Double-tube mainframe (61" and 72" models only) makes the Cheetah tough, durable and dependable year after year.
- Extra-low center-of-gravity gives the Cheetah surefooted stability on a wide variety of terrains.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial-grade. Tri-Plate deck top is nearly 1/2" thick.
- Patented deck-leveling adjustment bracket lets you quickly level the cutter deck with the turn of a bolt.
- A choice of Kawasaki FX, Kohler, or Briggs & Stratton air-cooled engines give the Cheetah plenty of power.
- Dual tanks provide up to 15-gallon fuel capacity (10-gallon capacity on 48" and 52" models) to keep you mowing for hours, ensuring better productivity.
- Heavy-duty Ogura GT3.5 clutch provides 250 ft/lbs (Ogura GT5 on 34CV-EFI and 36BV models provides 350 ft/lbs) of holding strength and features an adjustable air-gap for long service life.
- Three-position steering lever dampener mounting lets you customize the feel and responsiveness of the controls for easier operation.
- Dual integrated Hydro-Gear transaxles give you responsive, dependable power; a cooling fan on each unit keeps operating temperatures low.
- Large capacity hydraulic system increases component efficiency and extends system life.
- Extra-large drive tires provide dependable traction and a smooth ride.
- 6" wide, flat-free front caster tires have tapered roller bearings in the axles and pivots for long life; lip seals keep grease in and dirt out.
- The full-featured instrument panel is within easy reach and includes ignition switch, choke, engine throttle, cutter deck engagement, digital hour meter and gauges.
- Integrated tie-down locations make securing the Cheetah on a trailer simple.



SCAG'S OPERATOR SUSPENSION SYSTEM isolates the operator station from the effects of rough terrain. A coil-over shock provides effective suspension action right where it's needed, and only where it's needed, for a smooth ride. Adjust the suspension system on the fly from firm to soft with a selection of five settings to match your personal preference.

This ultra-simple design utilizes only three moving parts to cushion the operator while maintaining the structural integrity of the mower's frame. Most importantly, this suspension system has no negative effect on the quality-of-cut.



The comfortable, contoured seat features rubber iso-mounts at four points to absorb vibration and increase comfort.



Two-speed selector (61" and 72" models) lets you choose either low-range to travel up to 12 mph or high-range for up to 16 mph. The single-speed transaxles on 48" and 52" models deliver speeds up to 10.5 mph.



Adjust the height-of-cut in seconds from 1/4" to 5" right from the seat with the improved vertical facing, foot-operated cutting height adjustment with convenient, adjustable, three-position foot pedal.



SCAG

TIGER CAT



EARNING ITS STRIPES WITH AGILITY AND POWER

Don't be fooled by its size. The Tiger Cat™ can cut with the big cats all day long. Designed to deliver the ultimate in maneuverability and productivity, the Tiger Cat will get you through the tight spots effortlessly while still making quick work of the wide-open areas. Its heavy-duty tubular steel frame and Velocity Plus™ deck ensure exceptional durability and quality-of-cut, while the powerful drive system and large capacity fuel tanks help you maximize productivity. Featuring a low center-of-gravity and large 24" drive tires, the Tiger Cat gives you the stability and traction you need on tough terrain. And with a weight-adjustable torsion spring suspension seat available on most models, the Tiger Cat has the comfort features you need for all-day productivity.





"I had my first Scag mower for 9 years with no problems. It was an awesome mower and I loved it. Last summer we got another Scag. I think they are the best mowers made, and you won't find any better. Thank you for building such a great American product, and here's to many more years with my new Scag."

— Robin Connolly / Connolly Farms / Cable, OH

ZERO-TURN RIDER

- Heavy-duty tubular steel frame provides a solid foundation for years of reliable service; replaceable front caster wheel swivel pivot assembly arm.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial-grade. Tri-Plate deck is nearly 1/2" thick.
- Powerful drive system features dependable design, while dual 10cc pumps and high-torque, cast-iron wheel motors ensure reliable power.
- Up to 10 mph forward and 4.5 mph reverse ground speeds make quick work of tough jobs.
- Low center-of-gravity delivers sure footing on a variety of terrains.
- Torsion spring suspension seat on most models adjusts to operator's weight to provide superior comfort. Seat features full padding, forward/rearward adjustment, high back, adjustable armrests and adjustable back angle. Some models feature a "Soft-Ride" seat.
- 7-gallon approximate fuel capacity for hours of cutting time. Large fuel tank filler neck allows for quick refueling. Fuel tank features a molded-in cup holder for extra convenience.
- Large 24" drive tires ensure solid traction and curb climbing ability.
- Interlocked parking brake system prevents movement when parking on slopes. Mower will not operate with brake engaged, preventing premature brake wear.
- Large caster wheels feature tapered roller bearings for long life. Lip seals keep grease in and dirt out.
- Tough idler pulley system features all-steel pulleys, high-quality bearings and pulley bearing debris guards for long, reliable service.
- Digital hour meter features pre-programmed maintenance reminders. Hour meter only activates when the engine is running to accurately record engine runtime.
- User-friendly design provides simple operation and allows easy access for maintenance.
- Air-filtration systems ensure clean engine air for maximum power and long life; heavy-duty remote canister filter on Kawasaki FX and Kohler engines; integrated oval cartridge-style filter on Briggs Professional Series engine; cyclonic filter on Briggs Commercial Turf Series engine; cartridge-style filter on Kawasaki FS engine.
- All Tiger Cat™ models include standard twin-stick steering controls, pneumatic (air-filled) front caster tires and foldable Roll-Over Protection System (ROPS).

PRODUCTIVE ACCESSORIES TO CUSTOMIZE YOUR TIGER CAT

You can increase the productivity of your Tiger Cat using any of these optional accessories: grass catchers, flat-free caster tires, Quick-Fit™ steering levers, mulching systems, Tiger Striper, Operator-Controlled Discharge Chute (OCDC), chrome wheel covers, trailer hitch, and halogen light kit.



High-torque, cast-iron wheel motors ensure dependability. Heavy-duty drive system is designed for reliability.




Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength. Adjustable air-gap for long life.



Operator-friendly instrument panel includes a conveniently located ignition switch, cutter deck engagement switch, choke and throttle controls.



Patented deck-leveling adjustment bracket delivers easy cutter deck leveling with the turn of a bolt.



Foot pedal deck lift makes changing the height-of-cut fast and easy. Adjusts from 1" to 5" in 1/4" increments.



Rugged, dual 10cc hydraulic pumps feature pressure relief valves for added reliability and longer life.



SCAG

FREEDOM Z ★ ★

REDEFINING QUALITY AND PERFORMANCE

Whether you're making your livelihood or you just want to be the envy of your neighborhood, the Freedom Z[®] is built with the same focus on durability, comfort and quality-of-cut that defines every Scag[®] mower. Built with a heavy-duty tubular steel frame, commercial grade Ogura PTO clutch and independent Hydro-Gear transaxles, the Freedom Z is engineered for years of dependable power and performance. Maintenance is a snap thanks to the sealed aluminum spindles with ball bearings and simplified grease points. The ergonomically designed operator controls and cushioned, adjustable seat make sure you're comfortable no matter the conditions. Featuring quick and convenient 1/4" height adjustments, the Freedom Z lets you dial in the perfect cut without missing a beat. With ground speeds of up to 10 mph (SFZP61 models), you'll lose no time getting to the next job or the hammock as you admire your perfectly manicured lawn.



SCAG**FREEDOM Z**

"This is my first Scag, and I am in love. My lawn won't see anything other than a Scag for as long as I am breathing."

— Ryan Tanner / Coventry, CT

SFZ48 shown to the left.

FREEDOM Z PRO

SFZP61 shown above.

ALL FREEDOM Z (SFZ & SZFP) MODELS:

- 48", 52" or 61" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver "maintenance-free," high-performance operation; 1/2" thick mounting flange.
- Comfortable, thick-cushioned seat is easily adjustable and delivers a high level of operator comfort.
- Low-maintenance mower design greatly reduces grease points for operator convenience.
- 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast.
- Cup holder and storage tray built into fuel tank for operator convenience.
- Innovative height-of-cut adjustment is quick, and conveniently adjusts in 1/4" increments.
- Interlocked parking brake system prevents movement when parked on slopes. The mower will not operate with the brake on, preventing premature brake wear.
- Self-adjusting belt systems keep belts in constant, proper adjustment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Commercial-grade, powder-coat paint for a high-gloss finish and increased durability.
- Digital hour meter features pre-programmed maintenance reminders. Hour meter only activates when the engine is running to accurately record engine time.
- Highly flexible discharge chute will not dent and is easy on the landscape.

ALL FREEDOM Z (SFZ & SZFP) MODELS CONTINUED:

- Low-profile, fixed-position Roll-Over Protection System (ROPS).
- Extra-low center-of-gravity for maximum stability over challenging terrain.
- 3-year/500-hour non-commercial or 1-year commercial mower warranty. See the Scag Limited Warranty Statement for complete details.

FREEDOM Z 48"/52" (SFZ) MODELS:

- Hydro-Gear ZT2800 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Ground speeds up to 8 mph for high productivity.
- Large front caster tires and 20" drive tires for solid traction and a smooth ride.
- Adjustable height-of-cut from 1" to 4 1/2" in 1/4" increments.

FREEDOM Z PRO 52"/61" (SFZP) MODELS:

- Hydro-Gear ZT3100 or ZT3400 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Ground speeds up to 10 mph (SFZP61) or 8.5 mph (SFZP52) for maximum productivity.
- Large front caster tires and extra-large 22" (SFZP52) or 23" (SFZP61) drive tires for solid traction and a smooth ride.
- Foot-operated parking brake activates a disc brake system.
- Rubber iso-mounted footplate for increased operator comfort.
- Adjustable height-of-cut from 1 1/2" to 5" in 1/4" increments.



Powerful V-Twin engine options up to 27hp provide smooth, reliable power.



Convenient operator station puts the mower controls within easy reach.



Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded steel footplate for enhanced comfort. Rubber iso-mounted on SFZP 52"/61" only. SFZP model shown.



Four-corner deck leveling system ensures easy cutter deck adjustments for an even cut.



Ogura PTO clutch brake for easy deck engagement. Adjustable internal air-gap for long life.



TAKE A STAND FOR PERFORMANCE AND COMFORT

Take a stand for maneuverability and productivity with the V-Ride™. It's easy to operate, comfortable and provides a superior quality-of-cut, and with four available deck sizes, it'll get you through all the tight spots while leaving plenty of trailer space for your other gear. The spacious operator platform and coil spring suspension soak up the bumps to optimize comfort and reduce operator fatigue. Featuring our legendary Velocity Plus™ cutter deck (48", 52" and 61" models), heavy-duty cutter deck spindles and tough Ogura PTO clutch, the V-Ride is ready to take on the toughest challenges and provide years of dependable service. Several engine options are available to meet your specific power and efficiency needs. A wide stance and large drive tires provide solid traction and stability while you hit ground speeds up to 11 mph.



"We constantly receive excellent comments and reviews from our customers due to our quality of work. We attribute this to our Scag mowers' superior cut and striping ability, along with our attention to detail. From manicured lawns to overgrown fields, the V-Ride never ceases to amaze me. We have cut in ridiculous conditions and the V-Ride always comes through with excellent results."

— Shane Force / Blade Runners, LLC / Woodlawn, TN



HYDRO STAND-ON


- 36" Advantage™ or 48", 52" or 61" Velocity Plus™ cutter deck provides an unmatched quality-of-cut and wide, even discharge. Tri-plate deck top is nearly 1/2" thick.
- Spacious operator platform with coil spring suspension delivers a smooth ride and reduces operator fatigue.
- Entire operator platform lifts up and out of the way to save space on the trailer, and allows you to walk behind the mower when needed.
- Scag® heavy-duty cutter deck spindles with 1 1/8" hardened steel shaft, cast-iron housing and greaseable, tapered roller bearings provide reliable strength. Spindles covered by a 3-year warranty.
- Strong, reliable Ogura PTO clutch engages and disengages the blades quickly and easily with adjustable air-gap for long life.
- Powerful and efficient Kawasaki engines provide smooth, reliable power. Kohler EFI engine option delivers exceptional efficiency and dependable performance. Heavy-duty canister air filter available on Kawasaki FX and Kohler EFI engines.
- Heavy-duty steel frame construction ensures a solid foundation for long life.
- Large drive tires provide surefooted traction: 18" tires on the 36" model, 20" tires on the 48", 52" and 61" models.
- Rugged, dual hydraulic drive system delivers dependable power with 10cc Hydro-Gear pumps and 12cc pumps on 61" V-Ride.
- Productive ground speeds help get the job done fast: up to 11 mph on the 61" model, up to 8.5 mph on the 48" and 52" models, and up to 7.7 mph on 36" model.
- Auxiliary hydraulic oil cooler reduces temperatures, extending hydraulic system component life (48", 52" and 61" models).
- Ergonomic operator controls provide incredible ease-of-use along with maximum comfort. Intuitive control design minimizes learning curve for new operators.
- Large 8-gallon fuel tank on the 52" and 61" models and 5-gallon fuel tank on the 36" and 48" models. All models feature large, angled filler neck and fuel gauge for operator convenience.
- Flat-free (semi-pneumatic) front caster tires eliminate downtime and expense caused by flat tires.
- The V-Ride™ is covered by a strong 2-year commercial or 3-year/500-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for details.
- A variety of accessories are available for the V-Ride, such as fabric grass catcher, chrome wheel covers, Hurricane Mulch Kit, mulching plate and Blade Buddy.

ACCESSORIES


A variety of Scag-tough accessories are available to fit the V-Ride. From the Hurricane Plus™ Mulching System to the Operator-Controlled Discharge Chute (OCDC), you're sure to find the right accessory to fit your specific needs and preferences and help increase your productivity.



Spacious operator platform with coil spring suspension delivers a smooth ride and reduces operator fatigue.



Easily change cutting heights in the field with no tools (1 1/2" to 4 1/2" in 1/4" increments). Deck can be lifted from the operating position with the pull of a spring-assisted lever.



Ergonomic operator controls provide incredible ease-of-use along with maximum comfort. Intuitive control design minimizes learning curve for new operators.



Multi-position, adjustable comfort cushion allows for comfortable operation, hour after hour.



Easy to reach, full-featured instrument panel has ignition key, cutter deck engagement switch, drive and neutral lever, throttle, choke and digital hour meter.



Auxiliary hydraulic oil cooler on the 48", 52" and 61" V-Ride keeps oil temperatures well within a safe operating level and adds to hydraulic system component life.

"I'm coming from [another brand] and couldn't be any happier than I am with my new Scag SWZT. The quick height adjustment was the best thing since sliced bread for the walk-behinds, and the quality-of-cut is awesome. The welds are perfect and the mower is smooth as butter, as advertised. It's designed and built just like an American product should be!"

— Michael Hammons / Picture Perfect Lawns / Round Rock, TX



Dual hydraulic ZT-2800 transaxles with cooling fans and steel fan covers allow independent, amazingly smooth and positive power to each wheel; two independent units with charge pumps and all metal gears. Rear skid plate protects the underside and transaxles from impact damage.




Innovative rider-style height-of-cut adjustment is quick and convenient; 1½" to 4½" in ¼" increments.

HYDRO-DRIVE WALK-BEHIND

- Large 18" drive tires and 9" front caster tires for stability.
- Ground speeds up to 7 mph forward and 3 mph in reverse get the job done fast.
- Available with a Kawasaki FS series engine for smooth, reliable, power. Convenient oil drain access for easy maintenance.
- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck for convenience; built-in fuel gauge.
- Extra-strong, fully fabricated and welded steel cutter deck; 36", 48" or 52" floating deck design provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver "maintenance-free," high-performance operation and ½" thick mounting flange for strength.
- Strong, reliable Ogura PTO clutch engages and disengages the blades quickly and easily. Adjustable air-gap for long life and reduced maintenance costs.
- 3-year/500-hour non-commercial or 2-year commercial mower warranty. See the Scag® Limited Warranty Statement for complete details.
- Easy to reach, full-featured instrument panel has ignition key, cutter deck engagement switch, speed selection lever, throttle and choke. Knock-out hole and wire harness easily accommodate an optional digital hour meter.
- Brake interlock switch prevents operation of unit with parking brake on.

ERGONOMIC CONTROL SYSTEM

Ultra-comfortable, ergonomic control system designed to make operation easy, hour after hour. The controls not only contour to the natural angles of your extended hands, but are placed to keep your hands out of harm's way when mowing next to trees and bushes. Unitized handle construction provides added strength.



SCAG SWZ | HYDRO-DRIVE WALK-BEHIND

- Heavy-duty Advantage and Velocity Plus™ cutter decks are constructed for outstanding durability (52" and 61" decks are made with a 10-gauge top and 7-gauge skirt, 36" and 48" decks are constructed of 7-gauge steel).
- Tough spindle assembly features a cast-iron housing with a heavy-duty flange secured with $\frac{5}{16}$ " grade-8 mounting hardware. Tapered roller bearings add 50% more load-carrying capacity than ball bearings. Covered by a 3-year limited warranty.
- Productive ground speeds up to 7.4 mph to get the job done fast.
- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck.
- Convenient instrument panel puts controls at operator's fingertips. Panel has key, cutter deck engagement switch, choke and throttle. SWZ also includes tracking adjustment, parking brake and forward speed lever. Knock-out hole and wire harness easily accommodate an optional analog hour meter.
- Fixed cutter deck adjusts from 1 $\frac{3}{4}$ " to 4 $\frac{1}{2}$ " in $\frac{1}{4}$ " increments.
- Large 16" drive wheels feature rounded edges for better floatation and less turf tearing.
- Flat-free (semi-pneumatic) front caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Nylon hydraulic reservoir features a large surface area to keep operating temperatures low.
- Brake interlock switch prevents operation of unit with parking brake on.
- Hydro transmission belt is self-adjusting to save maintenance time and extend belt life.
 - Belt cover has easy-access holes to reach the top spindle nuts for blade removal.
 - Flexible discharge chute will not dent and is easy on landscaping.



SIMPLE AND EFFICIENT DESIGN

Hydraulic power and simple design combine to make the SWZ the most efficient and easy-to-handle walk-behind you can buy. The SWZ has all the features Scag mowers are famous for: tough, durable components for long life and heavy-duty cutter decks that deliver an unmatched cut.



SWZ: Spring-assisted EZ-Grip design reduces hand force required to operate drive controls for maximum operator comfort.



SWZ: De-clutch cold-start feature enhances cold weather starting. It uses a large, easy-to-pull chain that locks into a slot in the engine deck to relieve pump pressure.



SWZ: "Adjust-A-Trac" tool is conveniently mounted on the engine deck for quick and easy neutral and tracking adjustments in the field.

SW | BELT-DRIVE WALK-BEHIND

- Heavy-duty Advantage and Velocity Plus™ cutter decks are constructed for outstanding durability (52" decks are made with a 10-gauge top and 7-gauge skirt, 32", 36" and 48" decks are constructed of 7-gauge steel).
- Large drive wheels feature rounded edges for better floatation and less turf tearing.
- Tough spindle assembly features a cast-iron housing with a heavy-duty flange, secured with $\frac{5}{16}$ " grade-8 mounting hardware. Tapered roller bearings add 50% more load-carrying capacity than ball bearings. Covered by a 3-year limited warranty.
- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck.
- Fixed cutter deck adjusts from 1 $\frac{3}{4}$ " to 4 $\frac{1}{2}$ " in $\frac{1}{4}$ " increments.
- Flat-free (semi-pneumatic) front caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Full commercial-grade construction ensures years of productive use.
- Productive ground speeds up to 6 mph to get the job done fast.
- Convenient instrument panel puts controls at operator's fingertips. Panel has key, cutter deck engagement switch, choke and throttle. Knock-out hole and wire harness easily accommodate an optional analog hour meter.
- Belt cover has easy-access holes to reach the top spindle nuts for blade removal.



SIMPLE AND EASY TO SERVICE DESIGN

Simple to maintain belt-drive design and five-speed transmission makes the SW easy to service and operate. Economical, durable and productive, the SW Walk-Behind provides years of dependable operation and an outstanding return on investment.



SW & SWZ: Dependable Ogura clutch engages and disengages the blades quickly and easily. Adjustable air-gap for long life.



SW: Five-Speed Peerless transmission features nine-spline coupler shafts for durability and a wide selection of forward ground speeds.



SW: Spring-assisted EZ-Grip design reduces hand force required to operate drive controls for maximum operator comfort.

ACCESSORIES

CLAM-SHELL GRASS CATCHER



FABRIC 3-BAG GRASS CATCHER



Talk to your dealer for information on accessories that fit your particular model. Actual system components may appear different from those pictured here.



Both of the catchers include front weights and a mounting bar, keeping the center-of-gravity low and stable (number of weights depends on catcher model).



3-Bag: Three tapered, commercial-grade fabric grass collection bags make dumping easy. Optimum debris packing means less time emptying the bags and more productive mowing.



3-Bag: Hard, molded plastic bottoms help keep the bags safe from curb and trailer damage. The steel grab handle and tapered bag design make emptying the bags easy.



FREEDOM Z CATCHER*

Heavy-duty, 2-bag grass catcher with 8" debris tube provides 7 bushels of collection capacity. This system uses the same ultra-tough commercial-grade bags as the 3-bag catcher for optimum debris packing and easy emptying.

*Freedom Z® catcher does not utilize a blower assembly.



FABRIC BAG CATCHER GC-F4

The Scag® Fabric Bag Grass Catcher features a 4-cubic-foot capacity and is lightweight for easy dumping.

Note: GC-F4 grass catcher does not fit 72" Velocity Plus™ decks.



Clam-Shell: The dump lever is easy to activate without leaving the mower seat.



Clam-Shell: Convenient, auto-sweep arm engages each time the dump lever is pulled to push out stubborn debris and sweep the hopper clean.



All spindle-driven catchers have a balanced, all-steel, 4-blade blower that pulverizes debris, reducing particle size to increase packing density.

GRASS CATCHERS

CLAM-SHELL GRASS CATCHER

- High-capacity, 12-bushel/112-gallon hopper.
- Easily dump the hopper from the operator's seat. Ideal for on-site dumping or dumping onto a tarp.
- After the initial installation, the blower, debris tube and hopper can be quickly removed or reinstalled.
- High-speed, balanced, all-steel blower is spindle-driven off of the cutter deck. No auxiliary engine means less weight, less maintenance, lower cost and quieter operation.
- The debris screen simply slides out from the side of the hopper and can be cleaned at any time without having to first empty the hopper.
- Spring-loaded, self-adjusting belt drives the powerful, debris-reducing blower.
- Vertical blower design increases mower width by only 8½" for the Tiger Cat™, Cheetah™ and Turf Tiger™ models. That's narrower than the discharge chute and allows for easy trimming and convenient trailer loading.
- Blower assembly (excluding belt) is covered by a one-year warranty.

FABRIC 3-BAG GRASS CATCHER

- High-capacity, 16-bushel/148-gallon bagging system.
- Individual bags are ideal for dumping into containers or back of a truck.
- After the initial installation, the blower, debris tube and 3-bag collection unit can be quickly removed or reinstalled.
- High-speed, balanced, all-steel blower is spindle-driven off of the cutter deck. No auxiliary engine means less weight, less maintenance, lower cost and quieter operation.
- Metal debris screen inside hood is durable and easy to clean.
- Spring-loaded, self-adjusting belt drives the powerful, debris-reducing blower.
- Vertical blower design increases mower width by only 8½" for the Tiger Cat, Cheetah and Turf Tiger models. That's narrower than the discharge chute and allows for easy trimming and convenient trailer loading.
- Blower assembly (excluding belt) is covered by a 1-year warranty.

ACCESSORIES



Analog Hour Meter conveniently keeps track of "run time" so maintenance records are easy to monitor. Analog meter optional for SW & SWZ walk-behind mowers. Digital hour meter is standard on V-Ride and zero-turn riders, optional for SWZT.



Replaceable Wear Pad protects the trim side of the deck from curb and trailer damage. Also protects property from being damaged by the deck. Standard on most new models, excluding SWZT and Freedom Z®.



Semi-Pneumatic Flat-free Caster Tires minimize downtime. Available in a wide range of sizes to fit most mowers. Standard on most new models, excluding Freedom Z and Tiger Cat™ models. Available as an option for Tiger Cat and select previous models.




The Scag® Operator-Controlled Discharge Chute (OCDC) allows the operator to temporarily close off the cutter deck's discharge opening when mowing along sidewalks, around flower beds, etc. Available for select Velocity Plus deck models only.



Foldable Roll-Over Protection System (ROPS) folds down for transport. Easy-mount ROPS features OSHA 1928 certification and seatbelt. Standard on most newer zero-turn riders, excluding Freedom Z. Available as an option for some previous models.




Trailer Hitch (250 lb. capacity) lets you haul a trailer or pull tow-behind attachments. Available for Tiger Cat, Cheetah and Turf Tiger models, as well as some other previous models. Freedom Z Hitch also available (excluding the 36" Freedom Z).



Hurricane Plus™ Mulch System fits all Velocity Plus™ decks. This patented mulching system employs productive "Eye of the Hurricane" mulching plates, baffles and Eliminator™ blades. Hurricane Mulch System also available for most new Advantage decks, SWZT and Freedom Z.



Eliminator Blades feature a serrated "double cut" edge, shredding the grass and returning clippings and nutrients back to the soil. Eliminator blades are included with the Hurricane Plus Mulch System or can be purchased separately for use with the Mulching Plate. Other blades also available for various cutting conditions.



Convenient Scag Mulching Plate lets you convert from side discharge to mulching mode while in the field. There's a mulching plate designed to fit all current and most previous Scag mowers.



Torsion Spring Suspension Seat adjusts to operator's weight to provide extra comfort. Features forward and rearward adjustment and adjustable back angle. Standard on most new Tiger Cat and Turf Tiger models.



Halogen Light Kit is easy to mount and extends visibility. Two super-bright halogen lights deliver 38 watts each for a total of 76 watts of lighting power. Kits available to fit all new zero-turn riders. Freedom Z and Cheetah light kits also available (100 watt kit).



WEAR IT WITH PRIDE.


ScagShop.com is your exclusive online source for the latest Official Scag wearables and gift items. Check out the fantastic selection of hats, shirts (adult and youth sizes), jackets, drinkware, signage, gifts and much more. Place your order directly online and have it shipped right to your home or workplace. Great prices, fast service. Check back often so you don't miss out on the newest styles!

Items shown above are for illustration only. Actual selection of items can change often and without notice or obligation.

Note: Scag mower parts and accessories are not available on ScagShop.com. Contact your local Scag dealer to order these items.



Fully adjustable Quick-Fit™ Steering Control Levers allow a wide range of adjustments. Fine-tune the steering lever position for comfort and convenience. Standard on most new riders, excluding Freedom Z, Tiger Cat and Cheetah™ 48" / 52" models. Available as an option for Tiger Cat and select previous models.



Patented Blade Buddy™ prevents cutter blade from rotating while changing blades. Makes blade removal and re-installation quick and easy.



Patented Tiger Striper gives grass a high-profile, professionally striped finish. It features a spring-loaded roller design for enhanced pattern appearance. Kit easily installs and removes in minutes. Kits available for Freedom Z (excluding 36" model), Tiger Cat, Cheetah and Turf Tiger™ as well as select previous models.



Tiger Bumper provides additional protection against trailer damage and damage from objects in the field. Fits Turf Tiger models. (May not be used in conjunction with grass catchers.)



Classy Chrome Wheel Covers are made of extremely durable plastic. They include metal retaining tabs, an access hole for the valve stem and proudly feature the Scag logo in chrome. Available in 8" and 12" diameters to fit most Freedom Z, Turf Tiger, Cheetah and Tiger Cat models and some SWZT and SWZ models. Sold in sets of two to fit the rear drive wheels.

	MODEL NUMBER	DECK WIDTH	# OF BLADES	HP*	ENGINE	WEIGHT (LBS)	
Turf Tiger™	STT52V-21CH-LP	52"	3	n/a	Kohler command – propane-powered	1325	
	STT52V-26CH-EFI	52"	3	26	Kohler command – electronic fuel injection a/c	1250	
	STT61V-21CH-LP	61"	3	n/a	Kohler command – propane-powered	1425	
	STT61V-25KA	61"	3	25	Kawasaki – liquid-cooled	1350	
	STT61V-25KBD	61"	3	25	Kubota – diesel-powered	1665	
	STT61V-26DFI	61"	3	26	Kawasaki – digital fuel injection l/c	1350	
	STT61V-26CH-EFI	61"	3	26	Kohler command – electronic fuel injection a/c	1350	
	STT61V-31KB-DF	61"	3	29/31	Kubota – dual-fuel (gasoline / propane)	1540	
	STT61V-35BVAC	61"	3	35	Briggs vanguard – air-cooled	1425	
	STT72V-25KBD	72"	3	25	Kubota – diesel-powered	1725	
	STT72V-26CH-EFI	72"	3	26	Kohler command – electronic fuel injection a/c	1400	
	STT72V-26DFI	72"	3	26	Kawasaki – digital fuel injection l/c	1400	
	STT72V-31KB-DF	72"	3	29/31	Kubota - dual-fuel (gasoline / propane)	1590	
	STT72V-35BVAC	72"	3	35	Briggs vanguard – air-cooled	1590	
Cheetah™	SCZ48V-22FX	48"	3	22	Kawasaki FX – v-twin	1075	
	SCZ48V-23CV-EFI	48"	3	23	Kohler command EFI – v-twin	1075	
	SCZ52V-23FX	52"	3	23	Kawasaki FX – v-twin	1080	
	SCZ52V-25CV-EFI	52"	3	25	Kohler command EFI – v-twin	1080	
	SCZ61V-27FX	61"	3	27	Kawasaki FX – v-twin	1350	
	SCZ61V-31FX	61"	3	31	Kawasaki FX – v-twin	1365	
	SCZ61V-34CV-EFI	61"	3	34	Kohler command EFI – v-twin	1350	
	SCZ61V-36BV	61"	3	36	Briggs vanguard – v-twin	1360	
	SCZ61RD-31FX	61"	3	31	Kawasaki FX – v-twin	1365	
	SCZ72V-31FX	72"	3	31	Kawasaki FX – v-twin	1400	
	SCZ72V-34CV-EFI	72"	3	34	Kohler command EFI – v-twin	1385	
	Tiger Cat™	STC48V-22FS	48"	3	22	Kawasaki FS – v-twin	1030
		STC48V-23CV	48"	3	23	Kohler command – v-twin	1030
		STC52V-22FX	52"	3	22	Kawasaki FX – v-twin	1100
STC52V-25CV-EFI		52"	3	25	Kohler command EFI – v-twin	1100	
STC61V- 23FX		61"	3	23	Kawasaki FX – v-twin	1150	
STC61V-26CV-EFI		61"	3	26	Kohler command EFI – v-twin	1150	
STC61V-27BS		61"	3	27	Briggs commercial turf series – v-twin	1150	
Freedom Z®		SFZ48-18FR	48"	3	18	Kawasaki FR – v-twin	745
	SFZ48-22KT	48"	3	22	Kohler 7000 series – v-twin	745	
	SFZ52-21FR	52"	3	21	Kawasaki FR – v-twin	765	
	SFZ52-24KT	52"	3	24	Kohler 7000 series – v-twin	765	
	SFZP52-23FS	61"	3	23	Kawasaki FS – v-twin	840	
	SFZP52-25BS	61"	3	25	Briggs commercial turf series – v-twin	830	
	SFZP61-24FS	61"	3	24	Kawasaki FS – v-twin	900	
V-Ride™	SFZP61-27BS	61"	3	27	Briggs commercial turf series – v-twin	880	
	SVR36A-15FS	36"	2	15	Kawasaki FX – v-twin, recoil start	770	
	SVR36A-19FX	36"	2	19	Kawasaki FX – v-twin	775	
	SVR48V-22FX	48"	3	22	Kawasaki FX – v-twin	860	
	SVR52V-23FX	52"	3	23	Kawasaki FX – v-twin	860	
	SVR52V-25CV-EFI	52"	3	25	Kohler command EFI – v-twin	860	
SWZ	SVR61V-25FX	61"	3	25	Kawasaki FX – v-twin	975	
	SVR61V-26CV-EFI	61"	3	26	Kohler command EFI – v-twin	975	
	SWZ36A-14FS	36"	2	14	Kawasaki FS – v-twin	515	
	SWZ48V-15FS	48"	3	15	Kawasaki FS – v-twin	565	
	SWZ52V-18FS	52"	3	18	Kawasaki FS – v-twin	585	
	SWZ52V-18FS (large frame)	52"	3	18	Kawasaki FS – v-twin	605	
SW	SWZ52V-22FSE (large frame)	52"	3	22	Kawasaki FS – electric-start	660	
	SWZ61V-18FS (large frame)	61"	3	18	Kawasaki FS – v-twin	715	
	SWZ61V-22FSE (large frame)	61"	3	22	Kawasaki FS – electric-start	717	
	SW32-14FS	32"	2	14	Kawasaki FS – v-twin	450	
SWZT	SW36A-14FS	36"	2	14	Kawasaki FS – v-twin	470	
	SW48V-14FS	48"	3	14	Kawasaki FS – v-twin	515	
	SW52V-15FS	52"	3	15	Kawasaki FS – v-twin	535	
	SWZT36-14FS	36"	2	14	Kawasaki FS – v-twin	550	
SWZT48-15FS	48"	3	15	Kawasaki FS – v-twin	585		
SWZT52-18FS	52"	3	18	Kawasaki FS – v-twin	605		
SWZT52-18FSE	52"	3	18	Kawasaki FS – electric start	605		

* Engine power levels as rated by the manufacturer.

All models subject to availability.

	TURF TIGER™	CHEETAH™	TIGER CAT®	FREEDOM Z®	V-RIDE	SWZT	SWZ & SW
Clam-Shell Spindle Drive Grass Catcher	●	●	●				
Fabric 3-Bag Spindle Drive Grass Catcher	●	●	●				
Freedom Z Fabric 2-Bag Grass Catcher				●			
Fabric Bag Grass Catcher GC-F4				●	●	●	●
Suspension Seat*			●				
Chrome Wheel Covers	●	●	●	●	●	●	●
Hurricane/Hurricane Plus™ Mulch Kit	●	●	●	●	●	●	●
Mulching Plate	●	●	●	●	●	●	●
Tiger Stripe Kit	●	●	●	●			
Trailer Hitch	●	●	●	●			
Halogen Light Kit	●	●	●	●			
Flat-free Caster Tire**			●				
Blade Buddy™	●	●	●	●	●	●	●
Quick-Fit™ Steering Levers**		●	●				
Cup Holder		●		●			
Hour Meter						●	●
Tiger Bumper	●						
Operator-Controlled Discharge Chute (OCDC)	●	●	●	●			
Additional Blade Options	●	●	●	●	●	●	●

See page 32-35 for accessory details.

Some accessories listed above may not fit all sizes of models indicated.


Many of the accessories shown are also available to fit older Scag mowers. Contact your Scag dealer for details.

*Suspension seat standard on most Tiger Cat models except STC48V-22FS and STC61V-27BS, which feature a "Soft-Ride" seat.

**Also available for some older models.



UNMATCHED PRODUCTIVITY



* Riders based on 6 mph average cutting speed. Walk-Behinds based on 4 mph average cutting speed. (Total reduced 20% to allow for overlap and turns.)

SCAG OFFERS A WIDE RANGE OF MOWERS THAT WILL ADD DOLLARS TO YOUR BOTTOM LINE AND GIVE YOUR BUSINESS AN EDGE OVER THE COMPETITION.

Scag mowers are constructed with durable steel frames, fabricated steel cutter decks and reliable components to keep you in the grass and out of the repair shop. Operator comfort, easy maneuverability and a beautiful quality-of-cut are built into each Scag mower. They deliver productive mowing, day after day – with results you and your customers can be proud of.

BEST WARRANTIES

THE BEST WARRANTIES YOU'LL PROBABLY NEVER NEED

We are proud of the quality of our mowers and their well-earned reputation for durability. Scag mowers are engineered and manufactured to the highest industry standards. We use only the best components and manufacturing processes. To show our commitment to you, our customer, and to these top-quality Scag products, we back them with a very strong warranty.

SCAG 2-YEAR COMMERCIAL WARRANTY

All new Scag mowers are covered by a limited two-year warranty for commercial use.[†] This warranty covers manufacturing defects for two years, including parts and labor.

SCAG 1-YEAR FREEDOM Z COMMERCIAL WARRANTY

All new Scag Freedom Z mowers are covered by a one-year limited commercial warranty.* This warranty covers manufacturing defects, including parts and labor.

SCAG 3-YEAR DECK & SPINDLE WARRANTY

Scag cutter decks and blade spindles are warranted against manufacturing defects for three years,* parts and labor for two years, and parts coverage for the third year.

SCAG ACCESSORY WARRANTY

Scag mower accessories are warranted for 90 days.* Grass catcher blower assembly is covered for one year, including parts and labor, excluding belts.

SCAG 3-YEAR / 500-HOUR NON-COMMERCIAL WARRANTY

All new Scag mowers are covered by a limited three-year or 500-hour warranty (whichever comes first) for non-commercial use.* This warranty covers manufacturing defects for three years, including parts and labor. This limited warranty is for non-commercial owners only.

*See the Scag Limited Warranty Statement for complete details.

[†] Excludes Freedom Z.





Scag Power Equipment, Division of Metalcraft of Mayville, Inc.
1000 Metalcraft Drive, Mayville, WI 53050



OFFICIAL LAWN MOWER OF:



PROUD NATIONAL SPONSOR OF:



NEXT-DAY EMERGENCY PARTS DELIVERY

AVOID DOWNTIME WITH EXCELLENT DEALER SUPPORT

Scag dealers strive to keep a comprehensive inventory of service parts on hand and ready to meet your needs. We know you need to minimize downtime to make your business profitable. If a needed part is not in stock, Scag Emergency Parts Delivery can get that part to your dealer via next-day air delivery! Ask your dealer for details about this special service.

SCAG FINANCING PROGRAMS

YOUR EQUIPMENT BUDGET CAN GO EVEN FURTHER

We make it easy for you to own "Simply the Best" commercial mowers with special financing programs. Your Scag dealer can provide complete information on how to economically put a Scag mower to work for you.

GENUINE SCAG PARTS

Protect your Scag mower investment by using only genuine Scag replacement parts. Only genuine Scag parts are designed for an exact fit and to provide maximum performance and reliability. Do not settle for cheap imitations. Insist on genuine Scag replacement parts.

©2014 All information and specifications are accurate as of the date of publication.

Because we strive to continually improve our products, Scag reserves the right to make changes at any time without notice or obligation.

To view Scag patents, visit www.Scag.com/patents.html



SCAG.COM

