

SCAG
POWER EQUIPMENT

LAWN MAINTENANCE EQUIPMENT



"SIMPLY THE BEST"



JOB DONE RIGHT

That's your goal, and it's our goal, too. We build high-performance, tough and dependable products so you can count on them to get the job done exactly the way you want it done.

Your business is our business, too. It's about working together so that we can arm you with the best tools of the trade to maximize your productivity, quality-of-cut and profitability. We pride ourselves on taking the time to know you and understand the details that make the difference in the jobs you perform. By observing the many ways our customers use our products and how they perform in unique situations, we continue to find better ways to meet the needs of your business.

We've been manufacturing mowers and lawn maintenance equipment for more than 30 years, and over that period of time, we've learned what it takes to be "Simply the Best." The people who design and build our mowers understand your work and are always looking for new ways to improve product performance.

The fine details really do matter. Whether it's integrating a tire that won't go flat, providing a suspension seat for a smoother ride and less operator fatigue, or using a heavy-duty, adjustable clutch as standard equipment, we have you and your business in mind.

Quality matters, and that's the core value you can count on when you purchase a Scag®. But be warned — once you own a Scag, you'll never want to mow with anything else.

WHAT IT MEANS TO BE SIMPLY THE BEST

SCAG

Our product line is continually evolving to meet the changing demands of your work. Each machine is designed and engineered with precise attention to detail and quality control that borders on obsessive. We realize that a subpar weld or poorly designed component will eventually cause you unnecessary downtime. All Scag® products are made with exceptional materials and are manufactured to the highest standards. We promise you a tough, dependable machine that's ready to go out and get the job done right. When you buy a Scag, you're not just buying a lawnmower, you're investing in your livelihood.



BUILT WITH PRIDE

Scag mowers are proudly built in the USA, as they have been since 1983, in Mayville and West Bend, Wisconsin. While many other companies buy their parts from outside sources and simply assemble their machines, Scag builds virtually all of the structural components of its mowers in-house to ensure the highest quality possible.

DETAILS MAKE THE SCAG DIFFERENCE



Velocity Plus™ cutter deck delivers an unmatched quality-of-cut and wide, even discharge.




Heavy-duty Scag spindles are the envy of the industry — Velocity Plus and Advantage decks.



Operator Suspension System with a coil-over shock provides incredible, adjustable comfort without affecting cut quality — Cheetah™.



Ground speeds up to 16 mph ensure high productivity — Cheetah 61"/72".



Hydraulic oil coolers and / or pump cooling fans extend component life — most mower models, excluding SWZ and SW.




Heavy-duty driveshaft for solid, dependable power to the cutter deck — Turf Tiger™ II and Turf Tiger™.



Quick-Fit™ adjustable steering levers accommodate any operator — Turf Tiger II, Turf Tiger and Cheetah 61"/72".



Tri-Plate construction on Velocity Plus deck provides superior strength — V-Ride™ and zero-turn riders.



Patented deck-leveling adjustment is quick and easy — select zero-turn riders.



TIGER EYE ADVANCED MONITORING SYSTEM

The Tiger Eye™ Advanced Monitoring System keeps a constant, real time "eye" on important system functions on your Scag mower. Depending on the mower model and engine selections, a wide variety of systems are monitored in real time, giving you valuable information in just a glance, right from the operator's seat. The backlit panel makes viewing easy in all conditions, from direct sunlight to complete darkness.




CUTTER DECK

Velocity Plus™ decks are legendary because of their proven performance and durability. No other deck leaves a smoother cut or channels and disperses clippings more evenly. The Velocity Plus deck combines a uniquely productive baffle design with the force of ultra-fast blade tip speeds to create a windstorm of air speed that disperses clippings far and wide. Professional cutters will tell you no other deck has that downright toughness or provides a better cut than the Scag® Velocity Plus Cutter Deck.

- The Scag Turbo Baffle increases discharge velocity and creates a fanning pattern of discharged clippings, dispersing them cleanly and evenly — virtually eliminating windrowing and clumping, even in heavy cutting conditions. The Turbo Baffle is standard on zero-turn riders only (Turf Tiger® II, Cheetah™, and Tiger Cat® II).
- 48", 52", 61" and 72" deck sizes available.
- MARBAIN® cutter blades stay sharper, longer.

- Extra-large discharge opening for maximum clipping dispersal.
- Dual 12", rear-mounted anti-scalp rollers provide additional turf protection (one roller on SCZ48/52 models; includes (Turf Tiger® II, Cheetah™, and Tiger Cat® II).
- Replaceable trim-side wear pad protects the deck and landscaping from scraping and impact damage (Turf Tiger II, Cheetah, Tiger Cat II, and V-Ride™).



Scag's patented Custom-Cut Baffle™ allows convenient adjustment of under-deck airflow for optimum performance under all conditions. Whether you are tackling difficult-to-cut grass or collecting leaves in the fall, you will be prepared to handle the job with ease.



Scag cutter decks deliver superior strength and performance. Three layers of high-strength steel create the nearly ½" thick (.485") Tri-Plate cutter deck top (V-Ride and zero-turn riders). Scag decks are backed with a 3-year "no-crack" warranty (excluding Patriot, Freedom Z, Liberty Z and SWZT).



The Scag Mulch Plate conveniently blocks off the discharge opening and allows you to easily mulch when needed. The bottom lip of the plate keeps grass in the cutting chamber longer for more thorough mulching and a clean, manicured finish. The Mulch Plate is a component of the Hurricane Mulch System and can also be purchased as a separate accessory.



Serrated Eliminator™ mulching blades have a high-lift, "double-cut" edge for quick and thorough shredding of grass clippings and debris. Eliminator blades are included with the Hurricane Plus™ and Hurricane Mulch Systems. They also can be ordered separately for use with the Mulch Plate.



THE SCAG HEAVY-DUTY SPINDLE: AN INDUSTRY BENCHMARK

- Heavy-duty 1 1/8" diameter shaft made of high-strength, hardened steel alloy.
- Matched set of tapered roller bearings provide up to 50% more load-carrying capacity than ball bearings.
- Top-mounted fitting for easy greasing.
- Grease relief valve prevents over-greasing.
- Secured with 5/16", grade-8 mounting hardware for superior strength.
- Three-year limited warranty (see page 46 for details).

Note: Patriot, Freedom Z, Liberty Z and SWZT use a maintenance-free, sealed aluminum housing, ball-bearing spindle design.



THE SCAG VELOCITY PLUS REAR DISCHARGE CUTTER DECK

The 61" Velocity Plus™ Cutter Deck is now available with rear discharge (RD) on the Scag® Cheetah™. Same tough spindles and Tri-Plate deck top, same Scag toughness built in. The Velocity Plus RD deck is ideal for cemeteries, roadsides, medians and parking lots, or any location where side discharging is not allowed or is undesirable.

HURRICANE PLUS MULCH SYSTEM

The Hurricane Plus™ Mulch System features a patented design that takes mulching to a new level. With "Eye of the Hurricane" mulching plates, bolt-in baffles, special Eliminator™ mulching blades and a side discharge block-off plate, the Hurricane Plus System cuts and re-cuts clippings into a fine mulch before dispersing them into the lawn.

The Hurricane Plus baffle design forces grass clippings to travel between the chambers for a more thorough mulching performance. Couple that with "Eye of the Hurricane" mulch plates that keep clippings in the path of the Eliminator blades, and this design ensures clippings are finely shredded and forcefully scattered down toward the soil, returning vital nutrients to the turf. Not only does this save you time and keep the lawn healthy, but it also benefits the environment by reducing landfill waste.



The Scag Hurricane Plus Mulch System fits all Velocity Plus decks. Hurricane Mulch Systems are also available for most newer Advantage decks, Patriot, Freedom Z, Liberty Z and the SWZT.

SCAG

TURF TIGER II

RECHARGED AND STILL LEADING THE PACK

The all-new Turf Tiger™ II stands heads and tails above the crowd in power, durability and performance. This industry benchmark has been re-engineered to be as easy on the operator as it is efficient on tough jobs in the field. No matter how challenging the terrain and cutting conditions, the Turf Tiger II makes mowing a snap. From its extra-strength, double-tube steel frame to the dual 16-cc hydraulic pumps and high-torque wheel motors, this cat is ready for action.

The Turf Tiger II features the exclusive Command-Comfort Operator Station with 4-point, iso-mounted, torsion-spring suspension seat and Quick-Fit™ adjustable steering control levers to make your time spent in the driver's seat more comfortable and more productive. With speeds up to 12 mph, huge horsepower engines, a larger-capacity fuel tank and a heavy-duty hydraulic oil cooler, the Turf Tiger II is geared up to take the "hard" out of hard work.



TURF Tiger II

“ I researched Scag and other mowers for 5 years before I bought my Turf Tiger. Could not ask for a better mower. When I buy another mower, you can bet it will be a Scag!!! ”

MIKE POTTS
COLUMBIA, TN



ZERO-TURN RIDER

SCAG

- High-strength, double-tube steel frame ensures a solid foundation for years of reliable service; replaceable front caster wheel weldment.
- Cutter deck driveshaft system provides consistent, reliable power and a wide cutting height range; deck cutting heights range from 1" to 6" in ¼" increments.
- Heavy-duty drive system features dual 16-cc pumps and high-torque wheel motors for responsive, dependable power.
- Up to 12 mph forward speed for maximum productivity.
- Large-capacity hydro system includes a large oil cooler to increase hydraulic component efficiency and extend system life; pump cooling fans further cool the hydraulic system.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial grade. Tri-Plate deck is nearly ½" thick.
- ROPS (Roll-Over Protection System) standard equipment, featuring low hinge point for easy transport and storage.
- Convenient cup holder keeps beverage within reach.
- Large caster wheels feature tapered roller bearings in axles and pivots for long life; lip seal keeps grease in and dirt out.
- Flat-free caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Large 26" drive tires deliver superior traction and a smooth ride.
- Command-Comfort Operator Station features unprecedented levels of adjustability and ergonomics. This individualized system fights fatigue and provides maximum comfort and convenience.
 - 4-point rubber, iso-mounted torsion spring suspension seat adjusts to operator's weight to provide superior comfort. Seat features full padding, forward / rearward adjustment, high back, adjustable armrests and adjustable back angle.
 - Quick-Fit™ steering control levers are fully adjustable to provide a custom fit for maximum comfort.
 - 3-position deck lift foot pedal allows individualized comfort for operators of all heights.
- Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls. Ausco disc brakes for reliable performance.
- Ultra-low center of gravity makes the Turf Tiger™ II surefooted on a wide variety of terrain.
- Large-capacity, single fuel tank with a large, angled neck for easy filling. Tank provides hours of cutting without refueling; 12-gallon capacity. Tank is mounted under the seat to lower the center of gravity for better stability and handling.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Turf Tiger II. (Specific functions vary by mower model and engine.)

FUEL INJECTION

MAXIMIZE POWER AND REDUCE FUEL COSTS

The Scag® Turf Tiger™ II is available with an air-cooled Kohler® Command PRO EFI engine. This engine is equipped with closed-loop electronic fuel injection (EFI) to reduce fuel consumption and maximize power. The Turf Tiger II can also be outfitted with a Kawasaki® FD791D-DFI or FD850D-DFI (digital fuel injection) liquid-cooled engine that optimizes fuel economy and maximizes your profitability.




Dual 16-cc Hydro-Gear pumps power this dependable drive system. Pump shock valves ensure reliability and long life. Cooling fans help maintain safe operating temperatures.



Heavy-duty driveshaft delivers solid, dependable power to the cutter deck. Specially engineered for ease-of-maintenance.



Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength and GT5 (350 ft/lbs) on 35BV models. Adjustable air gap for long service life.



Oil cooler keeps hydraulic temperatures low for efficient operation, added reliability and long component life.

SCAG

CHEETAH

SIT BACK AND ENJOY THE RIDE

The Cheetah™ is the fastest mower in our line-up. It performs at ground speeds up to 16 mph in high range, and 12 mph in low range without compromising your comfort on the job. Designed with a coil-over shock Operator Suspension System that offers five easily adjustable settings and a rubber iso-mounted seat, this machine won't leave you aching at the end of a long, hard day of work. The Cheetah's suspension system design is also the simplest in the industry, with only three moving parts. All four deck sizes — 48", 52", 61" and 72" — come standard with the Velocity Plus™ deck for exceptional quality-of-cut and years of dependable performance. This cool cat is a serious top performer for any sized property.

CHEETAH



*Ground speeds vary by model configuration.



CHEETAH

Riding a mower for 8 hours a day is one of the worst things you can do for your spine and back. I'll do anything I can to relieve some of that pain and stress. The suspension system on the Cheetah is genius, and is what sold me on this machine. The Cheetah's suspension has made my body and back feel better, which is more important than I can explain. In this business, your body is everything, and when your body goes, you're done. If Scag can make a mower that prolongs my business career, then I'm a lifetime buyer. Thanks again, Scag.

COLE KNEHANS

KNEHANS LAWN AND LANDSCAPE
HIGGINSVILLE, MO



48" / 52" CHEETAH

Cheetah™ models with a 48" or 52" Velocity Plus™ cutter deck feature Hydro-Gear ZT-3400 transaxles, 23" drive tires, ground speeds up to 10.5 mph and 10-gallon fuel capacity.

ZERO-TURN RIDER

SCAG

- Quick-Fit™ steering control levers (61" and 72" models only), the Operator Suspension System, and a spacious footplate reduce fatigue for comfortable operation.
- Double-tube mainframe (61" and 72" models only) makes the Cheetah™ tough, durable and dependable year after year.
- Extra-low center of gravity gives the Cheetah surefooted stability on a wide variety of terrain.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and truly commercial grade. Tri-Plate deck top is nearly 1/2" thick.
- Patented deck-leveling adjustment bracket lets you quickly level the cutter deck with the turn of a bolt.
- A choice of Kawasaki® FX or Kohler® air-cooled engines give the Cheetah plenty of power.
- Dual tanks provide up to 15-gallon fuel capacity (10-gallon capacity on 48" and 52" models) to keep you mowing for hours, ensuring better productivity.
- Heavy-duty Ogura GT3.5 clutch provides 250 ft/lbs (Ogura GT5 on 35CV-EFI and 31FX models provides 350 ft/lbs) of holding strength and features an adjustable air gap for long service life.
- Adjustable three-position steering lever dampener mounting lets you customize the feel and responsiveness of the controls for easier operation.
- Dual integrated Hydro-Gear transaxles give you responsive, dependable power; a cooling fan on each unit keeps operating temperatures low.
- Large-capacity hydraulic system increases component efficiency and extends system life.
- Extra-large drive tires provide dependable traction and a smooth ride.
- 6" wide, flat-free front caster tires have tapered roller bearings in the axles and pivots for long life; lip seals keep grease in and dirt out.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Cheetah. (Specific functions vary by mower model and engine.)
- Integrated tie-down locations make securing the Cheetah on a trailer simple.



OPERATOR SUSPENSION SYSTEM

Isolates the operator station from the effects of rough terrain. A coil-over shock provides effective suspension action right where it's needed, and only where it's needed, for a smooth ride. Adjust the suspension system on the fly from firm to soft with a selection of five settings to match your personal preference.


This ultra-simple design utilizes only three moving parts to cushion the operator while maintaining the structural integrity of the mower's frame. Most importantly, this suspension system has no negative effect on the quality-of-cut.



The comfortable, contoured seat features rubber iso-mounts at four points to absorb vibration and increase comfort.



Two-speed selector (61" and 72" models) lets you choose either low-range to travel up to 12 mph or high-range for up to 16 mph. The single-speed transaxles on 48" and 52" models deliver speeds up to 10.5 mph.



Adjust the height-of-cut in seconds from 1/4" to 5" right from the seat with the improved vertical-facing, foot-operated cutting height adjustment with convenient, adjustable, three-position foot pedal.

SCAG

TIGER CAT II

EARN YOUR STRIPES

Re-engineered from the ground up, the all-new Tiger Cat® II has set a new benchmark for mid-sized zero-turn riders. Highly maneuverable and equally tough and productive, this machine makes quick work of open areas with speeds up to 12 mph, while also easily getting through tight spots. With a heavy-duty tubular steel frame, the Velocity Plus™ deck, a more powerful drive system and larger capacity fuel tanks, this mower delivers it all in big cat style. Featuring a low center of gravity and large 24" drive tires, the Tiger Cat II provides the stability and traction you need for challenging terrain. A weight-adjustable torsion spring suspension seat with 4-point, rubber iso-mount ensures a comfortable ride as you get the job done.



TIGER CAT II



TIGER CAT II

I have used Scag mowers for over 26 years. In my experience, Scag is the best made zero-turn and gives me less downtime than any other mower brand.

STEVE WILLMOTH
WILLMOTH LAWN CARE
BURLESON, TX



ZERO-TURN RIDER

SCAG

- Heavy-duty, tubular steel frame provides a solid foundation for years of reliable service; replaceable front caster wheel weldment.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and truly commercial-grade. Tri-Plate deck is nearly ½" thick. Powerful drive system features dependable design, while dual 12-cc pumps and high-torque, cast-iron wheel motors ensure reliable power.
- Up to 12 mph forward and 5 mph reverse ground speeds make quick work of tough jobs.
- Low center of gravity delivers sure footing on a variety of terrain.
- Torsion spring suspension seat on most models adjusts to operator's weight to provide superior comfort. Seat features full padding, forward / rearward adjustment, high back, adjustable armrests and adjustable back angle. Some models feature a "Soft-Ride" seat.
- 4-point, rubber iso-mounting provides additional comfort to the seat.
- 9.5-gallon approximate fuel capacity for hours of cutting time. Large fuel tank filler neck allows for quick refueling. Fuel tank features a molded-in cup holder for extra convenience.
- Large 24" drive tires ensure solid traction and curb climbing ability.
- Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls. Ausco disc brakes for reliable performance.
- Large caster wheels feature tapered roller bearings for long life. Lip seals keep grease in and dirt out.
- Tough idler pulley system features all-steel pulleys, high-quality bearings and pulley bearing debris guards for long, reliable service.
- Tiger Eye Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Tiger Cat® II. *(Specific functions vary by mower model & engine.)*
- User-friendly design provides simple operation and allows easy access for maintenance.
- Air-filtration systems ensure clean engine air for maximum power and long life; heavy-duty remote canister filter on Kawasaki® FX and Kohler® engines.
- All Tiger Cat II models include standard twin-stick steering controls, pneumatic (air-filled) front caster tires and foldable Roll-Over Protection System (ROPS).

PRODUCTIVE ACCESSORIES TO CUSTOMIZE YOUR TIGER CAT II

- Grass Catchers
- Quick-Fit™ Steering Levers
- Mulching Systems
- Trailer Hitch
- Tiger Striper
- Chrome Wheel Covers
- Halogen Light Kit
- Operator-Controlled Discharge Chute (OCDC)



Operator-friendly instrument panel includes a conveniently located ignition switch, cutter deck engagement switch, choke, throttle controls and Tiger Eye™ Advanced Monitoring System.



High-torque, cast-iron wheel motors ensure dependability. Heavy-duty drive system is designed for reliability.



Heavy-duty Ogura GT3.5 clutch features 250 ft/lbs of holding strength. Adjustable air gap for long life.



Entire foot plate area lifts to provide complete access to the top of the deck for easy servicing.



Adjustable, 3-position foot pedal deck lift makes changing the height-of-cut fast and easy. Adjusts from 1" to 5" in ¼" increments.



Rugged 12cc hydraulic pumps feature pressure relief valves and top-mounted fans for added reliability and longer life.

SCAG

PATRIOT

TRUE COMMERCIAL-GRADE. INCREDIBLE VALUE.

This impressive zero-turn rider is designed with the needs of lawn care professionals in mind. Delivering commercial-grade results at an incredible value, the Patriot™ will exceed your expectations and have your “competition” talking. The Patriot is equipped with a productive 52" or 61" cutter deck to leave behind a beautiful quality-of-cut. Its strong hydro-drive system brings the power and keeps you moving at ground speeds of up to 10 mp*, while large front caster tires and extra-large drive tires provide dependable traction, stability and a smooth ride.



*Ground speeds vary by model configuration.

PATRIOT
USA **SCAG**





“ Scag mowers are better than any other zero-turn out there. I currently have 10 in use, and I've found that they're built stronger, hold up better and last longer than any other mower brand. **”**

PATRICK SHAMBLIN
 SHAMBLIN LANDSCAPE MGT
 BURLESON, TX

- 52" or 61" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver maintenance-free, high-performance operation; ½" thick mounting flange.
- Comfortable, thick-cushioned seat is easily adjustable and delivers a high level of operator comfort.
- Low-maintenance mower design greatly reduces grease points for operator convenience.
- 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast. Large, angled fuel neck for easy filling.
- Cup holder and storage tray built into fuel tank for operator convenience.
- Innovative height-of-cut adjustment is quick, and conveniently adjusts in ¼" increments.
- MARBAIN® cutter blades stay sharper, longer.
- Self-adjusting belt systems keep belts in constant, proper adjustment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Commercial-grade, powder coat paint for a high-gloss finish and increased durability.
- Digital hour meter features pre-programmed maintenance reminders. Hour meter only activates when the engine is running to accurately record engine time.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Low-profile, foldable Roll-Over Protection System (ROPS).
- Extra-low center of gravity for maximum stability over challenging terrain.
- Hydro-Gear ZT3100 or ZT3400 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Ground speeds up to 10 mph (SPZ61) or 8.5 mph (SPZ52) for maximum productivity.
- Large front caster tires and extra-large 22" (SPZ52) or 23" (SPZ61) drive tires for solid traction and a smooth ride.
- Foot-operated parking brake activates a disc brake system; Ausco disc brakes for reliable performance.
- Rubber iso-mounted footplate for increased operator comfort.
- Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy. Adjustable height-of-cut from 1" to 5" in ¼" increments.
- 2-year commercial or 3-year / 500-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for complete details.



Powerful Kawasaki FX V-Twin engine options up to 23 hp provide smooth, reliable power.




Convenient operator station puts the mower controls within easy reach.



Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded steel footplate is rubber iso-mounted for enhanced comfort.



Four-corner deck leveling system ensures easy cutter deck adjustments for an even cut.



Ogura PTO clutch brake for easy deck engagement. Adjustable internal air gap for long life.

SCAG

FREEDOM Z

WORK DOESN'T HAVE TO FEEL LIKE WORK

The Freedom Z[®] is built with the same focus on durability, comfort and quality performance that defines every Scag[®] mower. Tough and dependable, it's ideal as an entry-level commercial mower or for the homeowner who wants professional-quality results. This ergonomically designed mower includes a heavy-duty tubular steel frame, commercial-grade Ogura PTO clutch, and independent Hydro-Gear transaxles. Maintenance is a breeze thanks to simplified grease points and sealed aluminum spindles with ball bearings. A cushioned, adjustable seat assures comfort as you work, and a quick, convenient ¼" cutting height adjustment allows you to achieve that perfect cut without a struggle. With ground speeds of up to 8 mph, this mower is a solid, surefooted performer on any job.



FREEDOM Z
USA **SCAG**



I recently purchased a Freedom Z and wanted you to know that I am very happy with the mower. I will be a loyal customer from now on. I will also be recommending you to everyone. Thanks for being the best!!!

RYAN TANNER
COVENTRY, CT



- 48" or 52" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver "maintenance-free," high-performance operation; ½" thick mounting flange.
- Comfortable, thick-cushioned seat is easily adjustable and delivers a high level of operator comfort.
- Low-maintenance mower design greatly reduces grease points for operator convenience.
- 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast.
- Cup holder and storage tray built into fuel tank for operator convenience.
- Innovative height-of-cut adjustment is quick, and conveniently adjusts in ¼" increments.
- Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy. Adjustable height-of-cut from 1" to 4½" in ¼" increments.
- Interlocked parking brake system prevents movement when parked on slopes. The mower will not operate with the brake on, preventing premature brake wear.
- MARBAIN® cutter blades stay sharper, longer.
- Self-adjusting belt systems keep belts in constant, proper adjustment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Hydro-Gear ZT2800 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Ground speeds up to 8 mph for high productivity.
- Large front caster tires and 20" drive tires for solid traction and a smooth ride.
- Digital hour meter features pre-programmed maintenance reminders. Hour meter only activates when the engine is running to accurately record engine time.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Low-profile, fixed-position Roll-Over Protection System (ROPS). Foldable ROPS option available as an accessory.
- Extra-low center of gravity for maximum stability over challenging terrain.
- Commercial-grade powder coat paint for a high-gloss finish and increased durability.
- 3-year / 500-hour non-commercial or 1-year commercial mower warranty. See the Scag Limited Warranty Statement for complete details.



Powerful V-Twin engine options up to 24 hp provide smooth, reliable power.



Convenient operator station puts the mower controls within easy reach.



Foot pedal cutter deck lift is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded-steel footplate for enhanced comfort.



Four-corner deck leveling system ensures easy cutter deck adjustments for an even cut.



Ogura PTO clutch brake for easy deck engagement. Adjustable internal air gap for long life.

SCAG

LIBERTY Z

A RESIDENTIAL RIDER THAT HAS IT ALL

The Liberty® Z is the first Scag® mower designed exclusively for residential use. Every bit a Scag, this machine will make your lawn the envy of the neighborhood. We took no shortcuts in designing this reliable, high-performing machine, including many of the same features you'll find in our commercial models. The new Liberty Z features a robust, tubular steel frame, powerful motor and innovative deck to provide an outstanding quality-of-cut, easy operation and low maintenance in a budget-friendly package.



LIBERTY Z
USA SCAG



Model SZL48-22KT shown.
Liberty Z shown with optional arm rest kit.

Love my new Scag Liberty Z. I find myself mowing just to be in this BEAST of a machine. I have had [other brands] prior to purchasing my Scag. I wish I would have known of Scag before. I recently let my neighbor use my mower to compare against his. His reply was, 'I'm going to put mine up for sale and buy a Scag'. He was sold after the first cut. When I buy something, performance, overall strength and cost are important factors. Scag has outdone themselves with the Liberty Z.

CHUCK B.
WILLIAMSBURG, VA



Model SZL48-22KT shown.

- Low-maintenance mower design reduces grease points for owner convenience.
- Fully fabricated and welded 48" or 52" cutter deck with anti-scalp rollers provides a beautiful quality-of-cut. This is the same proven deck design found on the Freedom Z models.
- Ground speeds up to 7 mph for high productivity.
- Hydro-Gear ZT2800 hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power and feature spin-on oil filters for easy maintenance.
- Extra-low center of gravity for maximum stability.
- Large 11" front caster tires and 20" drive tires for solid traction and a smooth ride.
- Sealed aluminum cutter deck spindles with ball bearings deliver maintenance-free, high-performance operation; ½" thick mounting flange for incredible strength.
- MARBAIN® cutter blades stay sharper, longer.
- Self-adjusting belt systems keep belts in constant, proper alignment for long life.
- Easy-to-release dump valves on transaxles allow the mower to be moved without the engine running.
- Easy access to the engine oil drain and filters for quick and simple maintenance.
- Powder coat paint for a high-gloss finish and increased durability.
- Full-featured instrument panel with all controls within convenient reach of the operator.
- Digital hour meter features pre-programmed maintenance reminders to help you keep your mower running great.
- Large-diameter, padded, adjustable steering levers for ergonomic operation.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Wide, spacious foot plate with extruded traction pattern for safe traction while getting on and off the mower.
- Cushioned, contoured and bolstered seat delivers a high level of comfort.
- 5-year / 750-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for details.
- A variety of accessories are available to meet your specific needs:
 - Grass Collection System
 - Hurricane Plus™ Mulch System
 - Halogen Light Kit
 - Armrests
 - Trailer Hitch
 - Deck Transport Latch



Heavy-duty tubular steel frame provides a solid foundation for years of reliable service.



Cushioned and bolstered seat is adjustable and delivers a high level of comfort.



Spacious footplate has pierced, extruded-steel pattern, allowing dirt and debris to fall through to maintain safe foot grip.



Easy-to-use height-of-cut adjustment is quick, and conveniently adjusts from 1½" to 4½" in ¼" increments. Optional deck transport latch is available.



Powerful Kohler® 7000 Series or Kawasaki® FR V-Twin engine options provide smooth, reliable power. Protected by a heavy-duty rear engine guard.



5.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast. Cup holder built into fuel tank for operator convenience.

SCAG

V-RIDE

OUTSTANDING PERFORMANCE

Jump on and start cutting. This machine is easy to operate and will take you exactly where you need to go. Featuring our legendary Velocity Plus™ cutter deck (48", 52" and 61" models), heavy-duty cast-iron spindles and tough Ogura PTO clutch, the V-Ride™ is ready to conquer any terrain. Its spacious flip-up operator platform and coil spring suspension system absorb the bumps for a smooth, less taxing ride. Several engine options are available to meet your specific power needs, enabling ground speeds up to 11 mph*. A wide stance platform and large drive tires give you confidence-inspiring traction and stability as you traverse the turf. Built to last, the V-Ride is a solid performer that will provide years of dependable service.



*Groundspeeds vary by model configuration.



V-RIDE



V-RIDE

“ People always ask me, ‘Why Scag, and why not something else?’ Scag is ‘Simply the Best’; no one can compare. Everything is built to last, and each machine has been perfected in its own way. When you pick Scag, you know you are getting the best quality machine on the market! Scag has helped shape my business by creating a beast of a machine. When I show up to a job, I know it’s going to be done to perfection with my Scag. ”

KYLE SZEMREYLO

KES LAWN CARE
MARLBROUGH, CT



HYDRO STAND-ON



- 36" Advantage or 48", 52" or 61" Velocity Plus™ cutter deck provides an unmatched quality-of-cut and wide, even discharge. Tri-Plate deck top is nearly ½" thick.
- Spacious operator platform with coil spring suspension delivers a smooth ride and reduces operator fatigue.
- Entire operator platform lifts up and out of the way to save space on the trailer, and allows you to walk behind the mower when needed.
- Scag® heavy-duty cutter deck spindles with 1½" hardened steel shaft, cast-iron housing and greaseable, tapered roller bearings provide reliable strength. Spindles covered by a 3-year warranty.
- Strong, reliable Ogura PTO clutch engages and disengages the blades quickly and easily with adjustable air gap for long life.
- Powerful and efficient Kawasaki® engines provide smooth, reliable power. Kohler® EFI engine option delivers exceptional efficiency and dependable performance. Heavy-duty canister air filter available on Kawasaki FX and Kohler EFI engines.
- Heavy-duty steel frame construction ensures a solid foundation for long life.
- Large drive tires provide surefooted traction: 18" tires on the 36" model, 20" tires on the 48", 52" and 61" models.
- Rugged, dual hydraulic drive system delivers dependable power with 10-cc Hydro-Gear pumps and 12-cc pumps on 61" V-Ride™.
- Productive ground speeds help get the job done fast: up to 11 mph on the 61" model, up to 8.5 mph on the 48" and 52" models, and up to 7.7 mph on 36" model.
- Auxiliary hydraulic oil cooler reduces temperatures, extending hydraulic system component life (48", 52" and 61" models).
- Ergonomic operator controls provide incredible ease-of-use along with maximum comfort. Intuitive control design minimizes learning curve for new operators.
- Large 8-gallon fuel tank on the 52" and 61" models and 5-gallon fuel tank on the 36" and 48" models. All models feature large, angled filler neck and fuel gauge for operator convenience.
- Flat-free (semi-pneumatic) front caster tires eliminate downtime and expense caused by flat tires.
- The V-Ride is covered by a strong 2-year commercial or 3-year / 500-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for details.



ACCESSORIES

A variety of accessories are available for the V-Ride, such as:


- Fabric grass catcher
- Chrome wheel covers
- Hurricane Mulch Kit
- Hurricane Plus™ Mulch System
- Blade Buddy
- Operator-Controlled Discharge Chute (OCDC)




Spacious flip-up operator platform with coil spring suspension delivers a smooth ride and reduces operator fatigue.



Easily change cutting heights in the field with no tools (1½" to 4½" in ¼" increments). Deck can be lifted from the operating position with the pull of a spring-assisted lever.



Ergonomic operator controls provide incredible ease-of-use along with maximum comfort. Intuitive control design minimizes learning curve for new operators.



Multi-position, adjustable comfort cushion allows for comfortable operation, hour after hour.



Easy to reach, full-featured instrument panel has ignition key, cutter deck engagement switch, drive and neutral lever, throttle, choke and digital hour meter.



Auxiliary hydraulic oil cooler on the 48", 52" and 61" V-Ride keeps oil temperatures well within a safe operating level and adds to hydraulic system component life.

SWZT

" I'm coming from [another brand] and couldn't be any happier than I am with my new Scag SWZT. The quick height adjustment was the best thing since sliced bread for the walk-behinds, and the quality-of-cut is awesome. The welds are perfect and the mower is smooth as butter, as advertised. It's designed and built just like an American product should be! "

MICHAEL HAMMONS
PICTURE PERFECT LAWNNS
ROUND ROCK, TX



HYDRO-DRIVE WALK-BEHIND



- Large 18" drive tires and 9" front caster tires for stability.
- Ground speeds up to 7 mph forward and 3 mph in reverse get the job done fast.
- Available with a Kawasaki FS series engine for smooth, reliable, power. Convenient oil drain access for easy maintenance.
- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck for convenience; built-in fuel gauge.
- Extra-strong, fully fabricated and welded steel cutter deck; 36", 48", 52" or 61" floating deck design provides a beautiful quality-of-cut.
- Sealed aluminum spindles with ball bearings deliver maintenance-free, high-performance operation and 1/2" thick mounting flange for strength.
- MARBAIN® cutter blades stay sharper, longer.
- Strong, reliable Ogura PTO clutch engages and disengages the blades quickly and easily. Adjustable air gap for long life and reduced maintenance costs.
- 3-year / 500-hour non-commercial or 2-year commercial mower warranty. See the Scag® Limited Warranty Statement for complete details.
- Easy-to-reach, full-featured instrument panel has ignition key, cutter deck engagement switch, speed selection lever, throttle and choke. Knock-out hole and wire harness easily accommodate an optional digital hour meter.
- Brake interlock switch prevents operation of unit with parking brake on.
- Innovative rider-style height-of-cut adjustment is quick and convenient; 1 1/2" to 4 1/2" in 1/4" increments.

ERGONOMIC CONTROL SYSTEM

Ultra-comfortable, ergonomic control system designed to make operation easy, hour after hour. The controls not only contour to the natural angles of your extended hands, but are placed to keep your hands out of harm's way when mowing next to trees and bushes. Unitized handle construction provides added strength.



Dual hydraulic ZT-2800 transaxles with cooling fans and steel fan covers allow independent, amazingly smooth and positive power to each wheel; two independent units with charge pumps and all metal gears. Rear skid plate protects the underside and transaxles from impact damage.



Innovative rider-style height-of-cut adjustment is quick and convenient; 1 1/2" to 4 1/2" in 1/4" increments.

SWZ HYDRO-DRIVE WALK-BEHIND

- Heavy-duty Advantage and Velocity Plus™ cutter decks are constructed for outstanding durability (52" and 61" decks are made with a 10-gauge top and 7-gauge skirt, 36" and 48" decks are constructed of 7-gauge steel).
- Tough spindle assembly features a cast-iron housing with a heavy-duty flange secured with 5/16", grade-8 mounting hardware. Tapered roller bearings add 50% more load carrying capacity than ball bearings. Covered by a 3-year limited warranty.
- Productive ground speeds up to 7.4 mph to get the job done fast.
- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck.

- Convenient instrument panel puts controls at operator's fingertips. Panel has key, cutter deck engagement switch, choke and throttle. SWZ also includes tracking adjustment, parking brake and forward speed lever. Knock-out hole and wire harness easily accommodate an optional analog hour meter.
- Fixed cutter deck adjusts from 1¾" to 4½" in ¼" increments.
- Large 16" drive wheels feature rounded edges for better flotation and less turf tearing.
- Flat-free (semi-pneumatic) front caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Nylon hydraulic reservoir features a large surface area to keep operating temperatures low.
- Brake interlock switch prevents operation of unit with parking brake on.
- Hydro transmission belt is self-adjusting to save maintenance time and extend belt life.
- Belt cover has easy-access holes to reach the top spindle nuts for blade removal.
- Flexible discharge chute will not dent and is easy on landscaping.

SIMPLE & EFFICIENT DESIGN

Hydraulic power and simple design combine to make the SWZ the most efficient and easy-to-handle walk-behind you can buy. The SWZ has all the features Scag mowers are famous for: tough, durable components for long life and heavy-duty cutter decks that deliver an unmatched cut.

SW BELT-DRIVE WALK-BEHIND

SCAG

- Heavy-duty Advantage and Velocity Plus™ cutter decks are constructed for outstanding durability (52" decks are made with a 10-gauge top and 7-gauge skirt, 32", 36" and 48" decks are constructed of 7-gauge steel).
- Large drive wheels feature rounded edges for better flotation and less turf tearing.
- Tough spindle assembly features a cast-iron housing with a heavy-duty flange, secured with 5/16", grade-8 mounting hardware. Tapered roller bearings add 50% more load carrying capacity than ball bearings. Covered by a 3-year limited warranty.

- Large 5.5-gallon fuel tank features molded-in cup holder and large filler neck.
- Fixed cutter deck adjusts from 1¾" to 4½" in ¼" increments.
- Flat-free (semi-pneumatic) front caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Full commercial-grade construction ensures years of productive use.
- Productive ground speeds up to 6 mph to get the job done fast.
- Convenient instrument panel puts controls at operator's fingertips. Panel has key, cutter deck engagement switch, choke and throttle. Knock-out hole and wire harness easily accommodate an optional analog hour meter.
- Belt cover has easy-access holes to reach the top spindle nuts for blade removal.

SIMPLE & EASY TO SERVICE DESIGN


Simple to maintain belt-drive design and five-speed transmission makes the SW easy to service and operate. Economical, durable and productive, the SW Walk-Behind provides years of dependable operation and an outstanding return on investment.



SWZ: Spring-assisted EZ-Grip design reduces hand force required to operate drive controls for maximum operator comfort.




SWZ: De clutch cold-start feature enhances cold weather starting. It uses a large, easy-to-pull chain that locks into a slot in the engine deck to relieve pump pressure.




SWZ: Adjust-A-Trac tool is conveniently mounted on the engine deck for quick and easy neutral and tracking adjustments in the field.



SW & SWZ: Dependable Ogura clutch engages and disengages the blades quickly and easily. Adjustable air gap for long life.



SW: Five-speed Peerless transmission features nine-spline coupler shafts for durability and a wide selection of forward ground speeds.



SW: Spring-assisted EZ-Grip design reduces hand force required to operate drive controls for maximum operator comfort.



Fabric 3-Bag Grass Catcher

Clam-Shell Grass Catcher

GRASS CATCHERS

CLAM-SHELL GRASS CATCHER

- High-capacity, 12-bushel / 112-gallon hopper.
- Easily dump the hopper from the operator's seat. Ideal for on-site dumping or dumping onto a tarp.
- After the initial installation, the blower, debris tube and hopper can be quickly removed or reinstalled.
- High-speed, balanced, all-steel blower is spindle-driven off of the cutter deck. No auxiliary engine means less weight, less maintenance, lower cost and quieter operation.
- The debris screen simply slides out from the side of the hopper and can be cleaned at any time without having to first empty the hopper.
- Spring-loaded, self-adjusting belt drives the powerful, debris-reducing blower.
- Vertical blower design increases mower width by only 8½" for the Tiger Cat® II, Tiger Cat®, Cheetah™, Turf Tiger™ II and Turf Tiger™ models. That's narrower than the discharge chute and allows for easy trimming and convenient trailer loading.
- Blower assembly (excluding belt) is covered by a 1-year warranty.

FABRIC 3-BAG GRASS CATCHER

- High-capacity, 16-bushel / 148-gallon bagging system.
- Individual bags are ideal for dumping into containers or back of a truck.
- After the initial installation, the blower, debris tube and 3-bag collection unit can be quickly removed or reinstalled.
- High-speed, balanced, all-steel blower is spindle-driven off of the cutter deck. No auxiliary engine means less weight, less maintenance, lower cost and quieter operation.
- Metal debris screen inside hood is durable and easy to clean.
- Spring-loaded, self-adjusting belt drives the powerful, debris-reducing blower.
- Vertical blower design increases mower width by only 8½" for the Tiger Cat II, Tiger Cat, Cheetah, Turf Tiger II and Turf Tiger models. That's narrower than the discharge chute and allows for easy trimming and convenient trailer loading.
- Blower assembly (excluding belt) is covered by a 1-year warranty.



Heavy-duty, 2-Bag Grass Catcher with 8" debris tube provides seven bushels of collection capacity. This system uses the same ultra-tough, commercial-grade bags as the 3-bag catcher for optimum debris packing and easy emptying. Fits Patriot™, Freedom Z® and Liberty® Z models.



The Scag® Fabric Bag Grass Catcher features a 4-cubic-foot capacity and is lightweight for easy dumping.




Both of the catchers include front weights and a mounting bar, keeping the center of gravity low and stable (number of weights depends on catcher model).



3-Bag: Three tapered, commercial-grade fabric grass collection bags make dumping easy. Optimum debris packing means less time emptying the bags and more productive mowing.



3-Bag: Hard, molded plastic bottoms help keep the bags safe from curb and trailer damage. The steel grab handle and tapered bag design make emptying the bags easy.



Clam-Shell: The dump lever is easy to activate without leaving the mower seat.



Clam-Shell: Convenient, auto-sweep arm engages each time the dump lever is pulled to push out stubborn debris and sweep the hopper clean.



All spindle-driven catchers have a balanced, all-steel, 4-blade blower that pulverizes debris, reducing particle size to increase packing density.



Analog Hour Meter conveniently keeps track of "run time" so maintenance records are easy to monitor. Analog meter optional for SW & SWZ walk-behind mowers. Digital hour meter is standard on V-Ride™ and zero-turn riders, optional for SWZT.



Replaceable Wear Pad protects the trim side of the deck from curb and trailer damage. Also protects property from being damaged by the deck. Standard on most new models, excluding SWZT, Patriot™, Freedom Z® and Liberty Z.



Semi-Pneumatic Flat-Free Caster Tires minimize downtime. Available in a wide range of sizes to fit most mowers. Standard on most new models, excluding Patriot, Freedom Z, Liberty Z, Tiger Cat® II and Tiger Cat® models. Available as an option for the Tiger Cat II, Tiger Cat and select previous models.



The Scag Operator-Controlled Discharge Chute (OCDC) allows the operator to temporarily close off the cutter deck's discharge opening when mowing along sidewalks, around flower beds, etc. Available for select Velocity Plus deck models only.



Foldable Roll-Over Protection System (ROPS) folds down for transport. Easy-mount ROPS features OSHA 1928 certification and seatbelt. Standard on most newer zero-turn riders, excluding Liberty Z. Available as an option for some previous models.



Trailer Hitch (250-lb. capacity) lets you haul a trailer or pull tow-behind attachments. Available for Tiger Cat II, Tiger Cat, Cheetah, Turf Tiger II and Turf Tiger models, as well as some other previous models. Patriot, Freedom Z and Liberty Z Hitch also available.



Hurricane Plus™ Mulch System fits all Velocity Plus™ decks. The patented mulching system employs productive "Eye of the Hurricane" mulching plates, baffles and Eliminator™ blades. Hurricane Mulch System also available for most new Advantage decks, SWZT, Patriot, Freedom Z and Liberty Z.




Eliminator Blades feature a serrated "double cut" edge, shredding the grass and returning clippings and nutrients back to the soil. Eliminator blades are included with the Hurricane Plus Mulch System or can be purchased separately for use with the Mulch Plate. Other blades also available for various cutting conditions.



Convenient Scag® Mulch Plate lets you convert from side discharge to mulching mode while in the field. There's a mulching plate designed to fit all current and most previous Scag mowers.



Torsion Spring Suspension Seat adjusts to operator's weight to provide extra comfort. Features forward and rearward adjustment and adjustable back angle. Standard on most new Tiger Cat II, Tiger Cat, Turf Tiger II and Turf Tiger models.



Halogen Light Kit is easy to mount and extends visibility. Two super-bright halogen lights deliver 38-watts each for a total of 76 watts of lighting power. Kits available to fit all new zero-turn riders. Patriot, Freedom Z, Liberty Z and Cheetah light kits also available (100-watt kit).



WEAR IT WITH PRIDE


ScagShop.com is your exclusive online source for the latest Official Scag wearables and gift items. Check out the fantastic selection of hats, shirts (adult and youth sizes), jackets, drinkware, signage, gifts and much more. Place your order directly online and have it shipped right to your home or workplace. Great prices, fast service. Check back often so you don't miss out on the newest styles!

Items shown above are for illustration only. Actual selection of items can change often and without notice or obligation.

Note: Scag mower parts and accessories are not available on ScagShop.com. Contact your local Scag dealer to order these items.



Fully adjustable Quick-Fit™ steering control levers allow a wide range of adjustments. Fine-tune the steering lever position for comfort and convenience. Standard on most new riders, excluding Patriot, Freedom Z, Liberty Z, Tiger Cat II, Tiger Cat and Cheetah™ 48"/52" models. Available as an option for Tiger Cat II, Tiger Cat and select previous models.



Patented Blade Buddy™ prevents cutter blade from rotating while changing blades. Makes blade removal and re-installation quick and easy.



Patented Tiger Striper gives grass a high-profile, professionally striped finish. It features a spring-loaded roller design for enhanced pattern appearance. Kit easily installs and removes in minutes. Kits available for Patriot, Freedom Z, Liberty Z, Tiger Cat II, Tiger Cat, Cheetah, Turf Tiger™ II and Turf Tiger™ as well as select previous models.



Turf Tiger Bumper provides additional protection against trailer damage and damage from objects in the field. Fits Turf Tiger II and Turf Tiger models. (May not be used in conjunction with grass catchers.)



Classy Chrome Wheel Covers are made of extremely durable plastic. They include metal retaining tabs, an access hole for the valve stem and proudly feature the Scag logo in chrome. Available in 8" and 12" diameters to fit most Patriot, Freedom Z, Liberty Z, Turf Tiger II, Turf Tiger, Cheetah, Tiger Cat II and Tiger Cat models and some SWZT and SWZ models. Sold in sets of two to fit the rear drive wheels.

* Engine power levels as rated by the manufacturer.
All models subject to availability.

MODEL NUMBER	DECK WIDTH	# OF BLADES	HP*	ENGINE	WEIGHT (LBS)
STTII-52V-26CH-EFI	52	3	26	Kohler® Command PRO – electronic fuel injection a/c	1420
STTII-61V-25KA	61	3	25	Kawasaki® – liquid-cooled	1555
STTII-61V-26CH-EFI	61	3	26	Kohler Command PRO – electronic fuel injection a/c	1540
STTII-61V-26DFI	61	3	26	Kawasaki – digital fuel injection I/c	1510
STTII-61V-31DFI	61	3	31	Kawasaki – digital fuel injection I/c	1515
STTII-61V-35BV	61	3	35	Briggs & Stratton® Vanguard™ Big Block™ – air-cooled	1515
STTII-72V-26CH-EFI	72	3	26	Kohler Command PRO – electronic fuel injection a/c	1600
STTII-72V-26DFI	72	3	26	Kawasaki – digital fuel injection I/c	1570
STTII-72V-31DFI	72	3	31	Kawasaki – digital fuel injection I/c	1575
STTII-72V-35BV	72	3	35	Briggs & Stratton Vanguard Big Block – air-cooled	1575

STT52V-21CH-LP	52	3	n/a	Kohler Command PRO – V-Twin, propane-powered	1325
STT61V-21CH-LP	61	3	n/a	Kohler Command PRO – V-Twin, propane-powered	1425
STT61V-25KBD	61	3	25	Kubota – 3-cylinder, diesel-powered	1540
STT72V-25KBD	72	3	25	Kubota – 3-cylinder, diesel-powered	1590

SCZ48V-22FX	48	3	22	Kawasaki FX – V-Twin a/c	1075
SCZ48V-23CV-EFI	48	3	23	Kohler Command PRO – electronic fuel injection a/c	1075
SCZ52V-23FX	52	3	23	Kawasaki FX – V-Twin a/c	1080
SCZ52V-25CV-EFI	52	3	25	Kohler Command PRO – electronic fuel injection a/c	1080
SCZ61V-27FX	61	3	27	Kawasaki FX – V-Twin a/c	1350
SCZ61V-29CV-EFI	61	3	29	Kohler Command PRO – electronic fuel injection a/c	1365
SCZ61V-31FX	61	3	31	Kawasaki FX – V-Twin a/c	1365
SCZ61V-35CV-EFI	61	3	35	Kohler Command PRO – electronic fuel injection a/c	1350
SCZ61RD-31FX	61	3	31	Kawasaki FX – V-Twin a/c	1365
SCZ72V-31FX	72	3	31	Kawasaki FX – V-Twin a/c	1400
SCZ72V-35CV-EFI	72	3	35	Kohler Command PRO – electronic fuel injection a/c	1385

STCII-48V-22FX	48	3	22	Kawasaki FX – V-Twin a/c	1171
STCII-48V-23CV	48	3	23	Kohler Command PRO – V-Twin a/c	1175
STCII-52V-22FX	52	3	22	Kawasaki FX – V-Twin a/c	1175
STCII-52V-25CV-EFI	52	3	25	Kohler Command PRO – electronic fuel injection a/c	1180
STCII-61V-23FX	61	3	23	Kawasaki FX – V-Twin a/c	1255
STCII-61V-29CV-EFI	61	3	29	Kohler Command PRO – electronic fuel injection a/c	1288

STC52V-22FX	52	3	22	Kawasaki FX – V-Twin a/c	1100
STC61V-26CV-EFI	61	3	26	Kohler Command PRO – electronic fuel injection a/c	1150

SPZ52-22FX	52	3	22	Kawasaki FX – V-Twin a/c	840
SPZ61-23FX	61	3	23	Kawasaki FX – V-Twin a/c	900

SFZ48-22KT	48	3	22	Kohler 7000 series – V-Twin	745
SFZ52-24KT	52	3	24	Kohler 7000 series – V-Twin	765

SZL48-18FR	48	3	18	Kawasaki FR	605
SZL48-22KT	48	3	22	Kohler 7000 series – V-Twin	620
SZL52-22FR	52	3	22	Kawasaki FR	646
SZL52-24KT	52	3	24	Kohler 7000 series – V-Twin	640

SVR36A-15FS	36	2	15	Kawasaki FS – V-Twin, recoil-start	770
SVR36A-19FX	36	2	19	Kawasaki FX – V-Twin	775
SVR48V-22FX	48	3	22	Kawasaki FX – V-Twin	860
SVR52V-23FX	52	3	23	Kawasaki FX – V-Twin	860
SVR52V-25CV-EFI	52	3	25	Kohler Command PRO – electronic fuel injection a/c	860
SVR61V-25FX	61	3	25	Kawasaki FX – V-Twin	975
SVR61V-26CV-EFI	61	3	26	Kohler Command PRO – electronic fuel injection a/c	975

SWZT36-14FS	36	2	14	Kawasaki FS – V-Twin	550
SWZT48-15FS	48	3	15	Kawasaki FS – V-Twin	585
SWZT52-18FS	52	3	18	Kawasaki FS – V-Twin	605
SWZT52-18FSE	52	3	18	Kawasaki FS – V-Twin, electric-start	605
SWZT61-22FSE	61	3	22	Kawasaki FS – V-Twin, electric-start	665

MODEL NUMBER	DECK WIDTH	# OF BLADES	HP*	ENGINE	WEIGHT (LBS)
SWZ36A-14FS	36	2	14	Kawasaki FS – V-Twin	515
SWZ48V-15FS	48	3	15	Kawasaki FS – V-Twin	565
SWZ52V-18FS	52	3	18	Kawasaki FS – V-Twin	585
SWZL52V-18FS (large frame)	52	3	18	Kawasaki FS – V-Twin	605
SWZL52V-22FSE (large frame)	52	3	22	Kawasaki FS – V-Twin, electric-start	660
SWZL61V-22FSE (large frame)	61	3	22	Kawasaki FS – V-Twin, electric-start	715
SW32-14FS	32	2	14	Kawasaki FS – V-Twin	450
SW36A-14FS	36	2	14	Kawasaki FS – V-Twin	470
SW48V-14FS	48	3	14	Kawasaki FS – V-Twin	515
SW52V-15FS	52	3	15	Kawasaki FS – V-Twin	535

OPTIONAL ACCESSORIES BY MODEL REFERENCE

MODEL REFERENCE	TURF TIGER™ II	TURF TIGER™	CHEETAH™	TIGER CAT® II	TIGER CAT®	PATRIOT™	FREEDOM Z®	LIBERTY® Z	V-RIDE	SWZT	SWZ & SW
Clam-Shell Spindle Drive Grass Catcher	●	●	●	●	●						
Fabric 3-Bag Spindle Drive Grass Catcher	●	●	●	●	●						
2-Bag Grass Catcher						●	●	●			
Fabric Bag Grass Catcher GC-F4						●	●	●	●	●	●
Suspension Seat*				●	●						
Chrome Wheel Covers	●	●	●	●	●	●	●	●	●	●	●
Hurricane/Hurricane Plus™ Mulch System	●	●	●	●	●	●	●	●	●	●	●
Mulch Plate	●	●	●	●	●	●	●	●	●	●	●
Tiger Stripe Kit	●	●	●	●	●	●	●	●			
Trailer Hitch	●	●	●	●	●	●	●	●			
Halogen Light Kit	●	●	●	●	●	●	●	●			
Flat-free Caster Tire**				●	●						
Blade Buddy™	●	●	●	●	●	●	●	●	●	●	●
Quick-Fit™ Steering Levers**			●	●	●						
Cup Holder			●						●		
Cutter Deck Transport Latch								●		●	
Hour Meter										●	●
Turf Tiger Bumper	●	●									
Operator-Controlled Discharge Chute (OCDC)	●	●	●	●	●				●		
Additional Blade Options	●	●	●	●	●	●	●	●	●	●	●

*Suspension seat standard on most Tiger Cat II models except STCII-48V-22FX, which features a "Soft-Ride" seat.


**Also available for some older models.

SEE PAGES 40-43 FOR ACCESSORY DETAILS.

Some accessories listed above may not fit all sizes of models indicated. Many of the accessories shown are also available to fit older Scag® mowers. Contact your Scag dealer for details.




UNMATCHED PRODUCTIVITY



RIDERS*
(ACRES PER 8-HOUR DAY)

* Riders based on 6 mph average cutting speed. Walk-Behinds based on 4 mph average cutting speed. (Total reduced 20% to allow for overlap and turns.)



WALK-BEHINDS*
(ACRES PER 8-HOUR DAY)

WARRANTY OPTIONS

THE BEST WARRANTIES YOU'LL PROBABLY NEVER NEED

We are proud of the quality of our mowers and their well-earned reputation for durability. Scag® mowers are engineered and manufactured to the highest industry standards. We use only the best components and manufacturing processes. To show our commitment to you, our customer, and to these top-quality Scag products, we back them with a very strong warranty.

SCAG 2-YEAR COMMERCIAL WARRANTY

Most new Scag mowers are covered by a limited two-year warranty for commercial use.† This warranty covers manufacturing defects for two years, including parts and labor.

SCAG 3-YEAR / 500-HOUR NON-COMMERCIAL WARRANTY

Most new Scag mowers are covered by a limited three-year or 500-hour warranty (whichever comes first) for non-commercial use.** This warranty covers manufacturing defects for up to three years, including parts and labor. This limited warranty is for non-commercial owners only (excludes Liberty® Z models).

† Excludes Freedom Z and Liberty Z.
** See the Scag Limited Warranty Statement for complete details.

SCAG FREEDOM Z COMMERCIAL WARRANTY

All new Scag Freedom® Z mowers are covered by a one-year limited commercial warranty.** This warranty covers manufacturing defects, including parts and labor.

LIBERTY Z NON-COMMERCIAL WARRANTY

All new Scag Liberty Z mowers are covered by a five-year or 750-hour warranty (whichever comes first) for non-commercial use.** This warranty covers manufacturing defects for up to five years, including parts and labor. This limited warranty is for non-commercial owners only. No commercial warranty coverage for the Liberty Z.

VELOCITY PLUS 3-YEAR DECK & SPINDLE WARRANTY

Scag Velocity Plus™ cutter decks and cast-iron blade spindles are warranted against manufacturing defects for three years,** parts and labor for two years, and parts coverage for the third year.

SCAG ACCESSORY WARRANTY

Scag mower accessories are warranted for 90 days.** Grass catcher blower assembly is covered for one year, including parts and labor, excluding belts.



SCAG OFFERS A WIDE RANGE OF MOWERS THAT WILL ADD DOLLARS TO YOUR BOTTOM LINE AND GIVE YOUR BUSINESS AN EDGE OVER THE COMPETITION.

Scag mowers are constructed with durable steel frames, fabricated steel cutter decks and reliable components to keep you in the grass and out of the repair shop. Operator comfort, easy maneuverability and a beautiful quality-of-cut are built into each Scag mower. They deliver productive mowing, day after day — with results you and your customers can be proud of.



Scag Power Equipment, Division of Metalcraft of Mayville, Inc.
1000 Metalcraft Drive, Mayville, WI 53050



OFFICIAL LAWN MOWER OF:



PROUD NATIONAL SPONSOR OF:



GENUINE SCAG PARTS

Protect your Scag® mower investment by using only genuine Scag replacement parts. Only genuine Scag parts are designed for an exact fit and to provide maximum performance and reliability. Do not settle for cheap imitations. Insist on genuine Scag replacement parts.

NEXT-DAY EMERGENCY PARTS DELIVERY

AVOID DOWNTIME WITH EXCELLENT DEALER SUPPORT

Scag dealers strive to keep a comprehensive inventory of service parts on hand and ready to meet your needs. We know you need to minimize downtime to make your business profitable. If a needed part is not in stock, Scag Emergency Parts Delivery can get that part to your dealer via next-day air delivery! Ask your dealer for details about this special service.

SCAG FINANCING PROGRAMS

YOUR EQUIPMENT BUDGET CAN GO EVEN FURTHER

We make it easy for you to own "Simply the Best" commercial mowers with special financing programs. Your Scag dealer can provide complete information on how to economically put a Scag mower to work for you.

VISIT US ONLINE AT
SCAG.COM

